

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

LIBRARY
ARCHIVES
★ APR 10 1934 ★

U. S. Department of Agriculture

THE COLE NURSERY CO.

PAINESVILLE, OHIO

ESTABLISHED 1881



Descriptive Colored
Broadsides on
Request

1934

“Everything That’s Good and Hardy”

Instructions to Purchasers

We Guarantee our plants to arrive in good order. Should they be otherwise, or should a shortage occur notify us immediately.

No claim will be considered unless made within five days after receipt of goods.

We Guarantee our plants to be "free of disease" and "true to name," and will replace without charge or refund the amount paid for stock that proves otherwise.

TERMS—NET CASH

Advice and estimates will be gladly given when requested. Cole's 16-page Booklet, "How to Make Things Grow," is FREE—get your copy.

Packing—Stock will be packed FREE in the best modern methods, so as to carry to its destination in fresh condition.

Shipping — Cole Prepays All Carrying Charges to Greater Cleveland and to Akron. Elsewhere orders will be sent collect. Most of our plants are too large for Parcel Post. Perennials, bulbs, small shrubs, etc. will be sent by Parcel Post if you include 15c per order additional.

Fruit Department

IMPORTANT

Disease Free—True to Name

Cole's stock is inspected yearly by Government Officials and pronounced free of injurious insects and diseases.

We also frequently employ the services of the World's Greatest Experts on varieties to make sure that the trees you buy are "True to Name."

APPLES, Standard

	EACH	PER 10	PER 100
5 to 6', $\frac{11}{16}$ " and up, 2 years-----	\$.60	\$5.00	\$40.00
4 to 5', $\frac{9}{16}$ to $\frac{11}{16}$ ", 2 years-----	.50	4.00	32.00
3 $\frac{1}{2}$ to 4', $\frac{7}{16}$ to $\frac{9}{16}$ ", 2 years-----		3.50	25.00

Varieties (†) can be supplied in 5-year old (bearing age) trees twice transplanted to insure your success. 6 to 8' high, each \$2.50.

APPLES, Dwarf

	EACH	PER 10	PER 100
4 to 5', $\frac{5}{8}$ " and up, 2 years-----	\$.60	\$5.25	\$45.00

All varieties can be supplied in standards.
Varieties starred (*) in dwarfs.

†*ASTRACHAN. Best of all early apples, very acid. Fruit beautiful deep red. July and August.
†*BALDWIN. Fruit large, well colored, good quality. Flesh yellow, sub-acid. Dec. and Jan.
*CORTLAND. Tree hardy and a good early bearer. Fruit large, beautiful red color; juicy, pleasing flavor. Fine shipper. Nov. to Jan.
†*DELICIOUS. Splendid dessert apple. Tree very hardy and productive. Fruit yellow splashed dark red; aromatic, mild sub-acid. Dec. and Jan.

DELICIOUS SOLID DARK RED. Improved beautifully colored. Delicious. Add 25c each.

DELICIOUS YELLOW. Popular New Apple with Golden Skin and light yellow flesh of excellent quality. Add 25c each.

*DUCHESS (Oldenburg). Very early bearer; hardy and productive. Fruit large, yellow, striped bright red. Flesh yellow, sub-acid. Good cooking apple. Aug.

FALL PIPPIN. Fruit large, golden yellow. Flesh yellow, juicy and agreeably sub-acid. Sept. to Dec.

FAMEUSE. Fine table apple. Flesh snowy white, pleasing flavor. Oct. to Dec.

†GOLDEN SWEET. Tree bears large quantities of medium to large golden yellow fruit. Flesh yellow, very sweet. Aug.

APPLES—Continued

†*GRIMES GOLDEN. A wonderful bearer. Fruit of good quality. Flesh deep golden yellow. Sub-acid. Nov. to Jan.

HARVEST. The earliest summer apple. Fruit yellow with white flesh. Flavor sub-acid mellowing to mild. July.

†HYSLOP CRAB. Fruit medium size, red with yellow flesh.

*JONATHAN. Bears when very young with brilliant red fruit of medium size. Flesh yellow, sub-acid. Nov. to Jan. Add 10c each.

KING. Fruit large, beautiful red on yellow background with richly flavored, aromatic, yellow flesh. Nov. to Jan.

MAIDEN BLUSH. Fruit handsome lemon yellow with crimson cheek, juicy, sub-acid, white flesh. Sept. to Nov.

*MCINTOSH. Tree very hardy; early bearer. Fruit beautiful dark red. Flesh white, juicy, mild sub-acid. Oct. to Dec.

*NORTHERN SPY. Fruit pale yellow, mottled with red. Flesh yellow, juicy, sub-acid, finest quality. Nov. to Dec.

†NORTHWESTERN GREENING. Fruit of fair quality, variable in size and shape. Nov. and Dec.

RAMBO. Fruit is of medium size, richly flavored, mild sub-acid. Oct. and Nov.

†RHODE ISLAND GREENING. Fruit large, green with dull red blush. Flesh richly flavored, very juicy. Dec. to Feb.

ROME BEAUTY. Bears abundant crops of beautiful large yellow striped fruit of medium quality. Dec. and Jan.

*STAYMAN. A leading commercial variety with yellow fruit shaded dull red. Flesh yellow, sub-acid, and of very good quality. Dec. to Feb.

†*SWEET BOUGH. Very large, pale yellow, with flesh of white and of honeyed sweetness. Aug.

†TOLMAN SWEET. Trees hardy, vigorous and productive. Fruit pale yellow with which richly flavored flesh. Oct. to Dec.

†*WEALTHY. An early and abundant bearer. Fruit yellow, striped red. Flesh white, tender, juicy, sub-acid. Quality fine. Sept. to Nov.

*YELLOW TRANSPARENT. Tree hardy, productive, with medium sized fruit of pale yellow. Flesh white, juicy, sub-acid. July and Aug.

APRICOTS

	EACH	PER 10
4 to 5', $\frac{11}{16}$ " and up-----	\$.75	\$6.50
3 to 4', $\frac{9}{16}$ to $\frac{11}{16}$ "-----	.60	5.00

QUINCES

	EACH	PER 10	PER 100
3 $\frac{1}{2}$ to 4 $\frac{1}{2}$ ', $\frac{5}{8}$ " and up-----	\$.60	\$5.25	\$45.00
3 to 4', $\frac{1}{2}$ to $\frac{5}{8}$ "-----	.50	4.50	35.00

CHAMPION. Very vigorous and productive. Fruit large and pear shaped.

ORANGE. Very productive. Fruit large, yellow, and of good quality.

PEACHES

	EACH	PER 10	PER 100
3 $\frac{1}{2}$ to 4 $\frac{1}{2}$ ', $\frac{9}{16}$ to $\frac{3}{4}$ "-----	\$.50	\$4.00	\$32.00
3 to 4', $\frac{7}{16}$ to $\frac{9}{16}$ "-----	.40	3.25	25.00
2 to 3', $\frac{5}{16}$ to $\frac{7}{16}$ "-----	.35	2.75	20.00

Extra Large 5 to 6 feet high, \$1.00 each

ADMIRAL DEWEY. Extra early yellow; flesh yellow, quality good; semi-cling. Early August.

BEER'S SMOCK. Large, yellow, free stone. 1st of October.

BELLE OF GEORGIA. Fruit creamy white with crimson cheek; good quality; free stone. Mid-season.

CARMEN. Fruit brilliant red on creamy white background with juicy, sweet, white flesh; stone nearly free. Middle of August.

CHAMPION. Fruit white splashed carmine with juicy, sweet, white flesh. Middle of August.

CRAWFORD'S EARLY. Fruit very large, golden yellow, blushed red; flesh deep yellow, juicy, highly flavored. Late August.

CRAWFORD'S LATE. Fruit beautiful yellow and red; flesh yellow; free stone, best quality. 1st of September.

EARLY ELBERTA. Better quality than Elberta. First of September.

ELBERTA. Fruit large, orange yellow overspread red. A juicy, yellow, firm fleshed variety. Free stone. Middle of September.

GOLD DROP. Fruit yellow with slight blush; flesh yellow with rich apricot flavor. Fine for home use. Free stone. Last of September.

J. H. HALE. Fruit very large, golden yellow with crimson blush. Free stone. Middle of September.

LEMON CLING. Lemon yellow with red cheek. Last of September.

LEMON FREE. Very hardy and of fine quality. One of the best yellow canning peaches. Last of September.

NEW PROLIFIC. Very hardy and productive with medium size fruit; light yellow mottled red; flesh yellow, pleasantly flavored. Free stone. Middle of September.

NIAGARA. A dependable variety with a rich sweet sprightly flavor. Free stone. First of Sept.

ROCHESTER. Very productive with fruit orange yellow stained deep red; flesh yellow, juicy, and highly flavored. Free stone. Late August.

SALBERTA. Fruit yellow with red cheek; flesh yellow and of very good quality. Free stone. Late September.

SALWAY. Fruit greenish with dull blush; flesh yellow, tender and sweet. Free stone. Early Oct.

SOUTH HAVEN. A large, early, yellow peach of very good quality. Free stone. Late August.

WILLIAM'S CLING. The largest and handsomest yellow cling. Late September.

WILMA. Introduced by The Cole Nursery Co. A true Elberta in all senses except that it ripens about a week later. A truly great market variety.

PEARS, Standard

	EACH	PER 10	PER 100
5 to 6', $\frac{11}{16}$ " and up-----	\$.55	\$4.50	\$37.50
4 to 5', $\frac{9}{16}$ to $\frac{11}{16}$ "-----	.50	4.00	30.00
3 $\frac{1}{2}$ to 4', $\frac{7}{16}$ to $\frac{9}{16}$ "-----		3.50	25.00

PEARS, Dwarf

	EACH	PER 10	PER 100
3 $\frac{1}{2}$ to 4', $\frac{5}{8}$ " and up-----	\$.55	\$4.50	\$37.50

All varieties can be supplied in standards.

Varieties starred (*) in dwarfs.

ANJOU. Fruit large greenish yellow, with white, sweet, juicy flesh. Oct. to Dec.

*BARTLETT. Most popular Pear in existence. Fruit large, clear yellow, with fine grained, juicy flesh of good quality. Sept.

BOSC. Fruit dark rich yellow overspread with russet; quality best. Oct. and Nov.

*CLAPP'S FAVORITE. Fruit resembles Bartlett but ripens about ten days earlier.

*DUCHESS. Fruit enormously large, greenish yellow; flesh coarse but rich and good. Oct.

FLEMISH BEAUTY. Fruit large yellow, overspread with russet red. Flesh aromatic and sweet. Sept.

KIEFFER. Thrifty, productive and a good canning pear. Nov. and Dec.

*SECKEL (Sugar Pear). Fruit small, reddish-brown, and of exquisite flavor. Oct.

SHELDON. Fruit medium size, yellow overspread russet; flesh sweet, vinous, and of highest quality.

WILDER. Fruit yellow with flaming cheek. Sweet and rich. Aug.

*WORDEN SECKEL. Fruit medium size, yellow with blush cheek. Fine quality. Oct. and Nov.

Bartlett, Bearing Age, 6 to 8', 4-yr.-old, each \$2.50

PLUMS

	EACH	PER 10	PER 100
5 to 6', $\frac{11}{16}$ " and up-----	\$.65	\$5.50	\$45.00
4 to 5', $\frac{9}{16}$ to $\frac{11}{16}$ "-----	.55	4.50	35.00

ABUNDANCE. A large yellow Japanese sort with juicy sweet flesh; stone clings. Sept.

BRADSHAW. A large reddish purple variety with sweet, juicy, yellow flesh. Stone semi-free. Sept.

BURBANK. A very hardy and prolific Japanese variety bearing large fruit; yellow blushed red; flesh sweet and aromatic; stone clings. Sept.

FELLENBURG (Italian Prune). Highly colored, flesh firm, juicy, sub-acid. Fine quality. Free stone. Sept.

FRENCH DAMSON. An abundant bearer of large, black, sweet, juicy fruit. Early Oct.

GERMAN PRUNE. An old variety with deep purple fruit and sweet yellowish green flesh. Free stone. Late Sept.

GRAND DUKE. Purple with sweet, meaty, golden yellow flesh; stone clings. October.

- IMPERIAL GAGE.** Flesh yellow, juicy and sweet; free stone. Best in sandy soil. Sept.
- LOMBARD.** Very hardy and productive; fruit purplish red produced in clusters; flesh yellow, juicy, mild acid; semi-free stone. Sept.
- MONARCH.** A productive variety bearing purplish-red fruit with rich, aromatic, golden-yellow flesh; stone clings. October.
- RED JUNE (Japanese).** Mottled garnet-red with sweet, peculiarly aromatic, yellow flesh; stone clings. Early Sept.
- SHROPSHIRE DAMSON.** Purplish black with yellow flesh; juicy, firm, and agreeably tart; stone clings. Sept.
- WICKSON.** The largest of the Japanese Plums; deep red in color with amber yellow, sweet, juicy flesh; stone clings. Sept.
- YELLOW EGG.** A large, handsome, yellow Plum with sweet golden-yellow flesh. Sept.

CHERRIES, Sour

	EACH	PER 10	PER 100
4 to 5', $\frac{11}{16}$ " and up-----	\$.50	\$4.00	\$28.00
3 $\frac{1}{2}$ to 4', $\frac{9}{16}$ to $\frac{11}{16}$ "-----	.40	3.25	22.50
2 $\frac{1}{2}$ to 3 $\frac{1}{2}$ ', $\frac{7}{16}$ to $\frac{9}{16}$ "-----		2.75	18.00
Bearing Age, 5 to 7', 4-yr.-old, each \$2.50			

DYEHOUSE. For a very early dark red sour Cherry, this one is unexcelled.

EARLY RICHMOND. A profuse bearer; sprightly acid, indispensable for home or commercial use. Early.

HORTENSE. A large, bright red, sub-acid Cherry of fine quality. Mid-season.

MAY DUKE. Fruit medium in size and bright in color; an especially desirable sub-acid sort.

MONTMORENCY (Large). The most popular variety of the Sour Cherries. Flesh very juicy and pleasantly tart, good quality. Late.

MORELLO. Its dark red fruit borne in clusters of two or three turn nearly black when ripe; very tart; especially good for cooking or preserving. Very late.

PHILLIPE. Vigorous, upright with large, dark red, acid fruit. Late mid-season.

WRAGG. Vigorous and spreading with very dark red acid fruit.

CHERRIES, Sweet

	EACH	PER 10	PER 100
5 to 7', $\frac{11}{16}$ " and up-----	\$.60	\$5.00	\$40.00
4 to 5', $\frac{9}{16}$ to $\frac{11}{16}$ "-----	.50	4.00	32.00
3 $\frac{1}{2}$ to 4', $\frac{7}{16}$ to $\frac{9}{16}$ "-----		3.50	28.00

Varieties (†) can be supplied in 4-year-old (bearing age) trees 6 to 8', each \$2.50

BING. A favorite in the Pacific Northwest where the very dark red fruit is said to be unequalled in size and quality; stone semi-cling. Midseason.

†**BLACK TARTARIAN.** Our most popular Sweet Cherry. The brownish-black fruit is of medium size with rich, juicy, dark red flesh, one of the best; stone free. Early.

CHERRIES—Continued

- BRASSINGTON. Large red fruit of excellent quality. Sub-acid.
- †GOVERNOR WOOD. Yellowish white, tinged crimson with juicy, mild, sweet, white flesh; stone clings. Midseason.
- LAMBERT. Bears large clusters of red fleshed juicy fruit; good quality; stone clings. Midseason.
- †NAPOLEON (Queen Anne). Its bright red fruit with white flesh, handsome appearance, and high quality make this Cherry especially desirable for the market or for home use. Midseason.
- SCHMIDTS. Large black fruit with purplish red flesh; juicy and sweet. Midseason.
- WINDSOR. A profitable market sort with large dark red fruit; flesh light red, mild, and very good. Midseason.
- YELLOW SPANISH. Its bright amber-yellow fruit and high quality make it one of the most desirable of the Sweet Cherries. Midseason.

NUTS

	EACH	PER 10
BUTTERNUT		
4 to 6'	\$1.25	\$10.00
6 to 8'	1.75	15.00
8 to 10'	2.25	20.00
1 ¾ "	3.75	35.00
2"	5.50	50.00
CHESTNUT, American Sweet		
5 to 6'	2.00	15.00
6 to 8'	2.50	20.00
8 to 10'	3.50	30.00
HICKORY, Shellbark		
6 to 8'	3.00	25.00
8 to 10'	3.50	30.00
WALNUT, Black		
4 to 6'	1.25	10.00
6 to 8'	1.75	15.00
8 to 10'	2.25	20.00
1 ¾ "	3.75	35.00
2"	5.50	50.00
2 ½ "	7.00	65.00
3"	9.00	85.00

MULBERRIES

- NEW AMERICAN. Vigorous, strong and productive with large sweet glossy black fruit.

	EACH	PER 10
4 to 6'	\$1.50	\$10.00
2"	4.00	37.50
2 ½ "	5.50	50.00
3"	7.00	65.00

- RUSSIAN. Large, spreading, and hardy with medium size black fruit.

4 to 6'	\$.75	\$ 6.00
6 to 8'	1.00	8.00

GOOSEBERRIES

- DOWNING. Vigorous and productive with pale green, juicy, rich fruit of large size. Midseason.

	EACH	PER 10	PER 100
2 years -----	\$.20	\$1.50	\$12.00
1 year -----		1.25	9.00

GOOSEBERRIES—Continued

HOUGHTON. A productive, small, dark red variety.

	EACH	PER 10	PER 100
2 years -----	\$.20	\$1.50	\$12.00
1 year -----		1.25	9.00

POORMAN. Very vigorous and productive with very large red berries of excellent quality.

2 years -----	\$.30	\$2.50	\$20.00
---------------	--------	--------	---------

RED JACKET. Bears juicy, sweet, pale red fruit, of medium size. Midseason.

2 years -----	\$.25	\$2.00	\$16.00
1 year -----		1.50	12.00

IMPORTANT*Disease Free—True to Name*

Cole's stock is inspected yearly by Government Officials and pronounced free of injurious insects and diseases.

We also frequently employ the services of the World's Greatest Experts on varieties to make sure that the trees you buy are "True to Name".

CURRENTS

EACH PER 10 PER 100 PER 1000

CHERRY. An old popular variety borne in large clusters of large, dark red, sub-acid berries. Early.

2 years -----	\$.20	\$1.50	\$11.00	\$90.00
1 year -----		1.25	8.50	70.00

FAY'S PROLIFIC. One of the best of the red-fruited currants; large clusters of large juicy sub-acid berries. Early.

2 years -----	\$.15	\$1.25	\$11.00	\$90.00
1 year -----		1.00	8.50	70.00

LONDON MARKET. A strong grower with medium size dark red acid berries. Late.

2 years -----	\$.20	\$1.50	\$11.00	\$90.00
1 year -----		1.25	8.50	70.00

PERFECTION. When well cultivated is one of the best red Currants; borne in large clusters of mammoth handsome sub-acid berries. Mid-season.

2 years -----	\$.25	\$2.00	\$16.00	\$135.00
1 year -----		1.75	12.50	100.00

RED CROSS. Large bright red, juicy, sub-acid. Mid-season.

2 years -----	\$.20	\$1.50	\$11.00	\$90.00
1 year -----		1.25	8.50	70.00

WHITE GRAPE. Borne in large clusters of clear translucent, white berries. Midseason.

2 years -----	\$.20	\$1.50	\$11.00	\$90.00
1 year -----		1.25	8.50	70.00

WILDER. Strong productive plants bearing large clusters of medium size, dark red berries. Late.

2 years -----	\$.20	\$1.50	\$11.00	\$90.00
1 year -----		1.25	8.50	70.00

2 years -----	\$.20	\$1.50	\$11.00	\$90.00
1 year -----		1.25	8.50	70.00

Five to twenty-five of one variety and size will be furnished at the ten rate, 25 to 250 at the hundred rate, 250 or more at the thousand rate.

GRAPE VINES

EACH PER 10 PER 100 PER 1000

AGAWAM.	Large purplish-red berries with thick, tough skin; flesh solid and good. Midseason.				
1 years, No. 1-----	\$.25	\$2.00	\$14.00	----	
2 years, No. 2-----	--	1.60	11.00	----	
BRIGHTON.	Its medium sized red berries, borne in fair size bunches are sweet, aromatic and of the best quality.				
2 years, No. 1-----	\$.25	\$2.00	\$16.00	----	
2 years, No. 2-----	--	1.75	12.50	----	
CACO.	Its large red berries and juicy, sweet flavor, make Caco a grape to be desired by all. Midseason.				
2 years, No. 1-----	\$.45	\$3.50	\$30.00	----	
2 years, No. 2-----	.35	2.70	22.00	----	
CAMPBELL'S EARLY.	A variety bearing large bunches of large, black, high quality berries. About a week earlier than Concord.				
2 years, No. 1-----	\$.25	\$1.75	\$12.50	----	
2 years, No. 2-----	--	1.50	10.00	----	
CONCORD.	Most popular of all grapes. Large bunches of large, sweet, juicy, glossy black berries. Midseason.				
2 years, No. 1-----	\$.20	\$1.40	\$ 9.00	\$65.00	
2 years, No. 2-----	--	1.20	7.50	50.00	
DELAWARE.	Small bunches of small light red berries of very high quality and extremely sweet. Early.				
2 years, No. 1-----	\$.25	\$2.00	\$16.00	----	
2 years, No. 2-----	--	1.75	12.50	----	
FREDONIA.	Of vigorous habit, bearing large bunches of large, juicy, delicious black fruit. Very early.				
2 years, No. 1-----	\$.35	\$3.00			
MOORE'S EARLY.	Medium size bunches of large black berries. Early.				
2 years, No. 1-----	\$.25	\$1.75	\$12.50	----	
2 years, No. 2-----	--	1.50	10.00	----	
NIAGARA.	Most popular white variety. A vigorous and productive grape borne in large clusters and having an exquisite flavor. Midseason.				
2 years, No. 1-----	\$.25	\$1.75	\$12.50	\$100.00	
2 years, No. 2-----	--	1.50	10.00	75.00	
PORTLAND.	Berries large and of a beautiful yellowish color; very sweet and of excellent quality. The earliest grape known.				
2 years, No. 1-----	\$.35	\$3.00			
SALEM.	Large compact clusters of dark red berries with a sprightly vinous flavor. Early.				
2 years, No. 1-----	\$.25	\$2.00	\$16.00	----	
2 years, No. 2-----	--	1.75	12.50	----	
WORDEN.	Similar to Concord but of better quality. Fruit cracks badly and must be marketed as soon as ripe. Early.				
2 years, No. 1-----	\$.25	\$1.75	\$12.00	\$90.00	
2 years, No. 2-----	--	1.50	10.00	65.00	
Two year No. 2 vines are equal to or better than one year No. 1 vines.					

Five to twenty-five of one variety and size will be furnished at the ten rate, 25 to 250 at the hundred rate, 250 or more at the thousand rate.

STRAWBERRIES

(Orders accepted for spring delivery only)

	PER 100	PER 1000
FOLLOWING varieties -----	\$1.25	\$ 8.00
(Per)—Perfect. (Imp)—Imperfect sort and requires a Perfect sort planted with it as a fertilizer		
COOPER. (Per). A very large, bright red berry; firm and deliciously sweet. Picking season ex- tends over several weeks.		
DUNLAP. (Per). Very vigorous and productive variety bearing scarlet fruit of pleasant flavor and good quality. Midseason.		
GIBSON. (Per). A favorite market variety with dark red, high quality berries. Midseason to late.		
GLEN MARY. (Semi-Per). Large, dull crimson, oft- en with a white tip; sub-acid. Midseason.		
PREMIER. (Per). Most popular berry, outselling all other sorts. An especially valuable early var- iety with glossy red berries of high quality and good size.		
SAMPLE. (Imp). A profitable market sort with dark red, sub-acid fruit. Medium to late.		
WILLIAM BELT. A large, dark red variety of mild sub-acid flavor, good quality. Midseason.		
MASTADON. (Per). EVERBEARING. In great demand. A prolific variety with glossy red, juicy well- flavored berries of large size-----	\$1.75	\$11.00

RASPBERRIES

	PER 10	PER 100	PER 1000
CHIEF (New). In heavy demand. Especially profit- able to grow because of its earliness; of known hardiness, a heavy cropper, excellent quality.			
Suckers, No. 1-----	\$.70	\$5.00	\$30.00
COLUMBIAN (Purple). A very large and productive purple berry of good quality. Midseason.			
-----	\$.70	\$4.50	\$30.00
CUMBERLAND (Black) (Registered). A glossy black variety; firm, sweet, and of good size.			
Midseason -----	\$.65	\$4.00	\$25.00
CUTHBERT (Red). An old favorite dark red variety of good quality, size and flavor. Late.			
-----	\$.65	\$4.00	\$25.00
GOLDEN QUEEN (Yellow). Light yellow, sweet, and of good quality. Late-----	\$.85	\$6.00	\$45.00
LATHAM (New Red). Tremendously popular and probably the most profitable of all Raspberries. A productive, large, mosaic free, red raspberry of proven quality and hardiness. Midseason.			
-----	\$.65	\$4.00	\$25.00
MADISON No. 1 (Black). A hardy disease resisting, black variety of large size and fine quality. Best producer. Midseason -----	\$.70	\$4.50	\$35.00
NEW LOGAN (Black). A popular disease resisting black of good quality. Mid- season -----	\$.65	\$4.00	\$25.00
PLUM FARMER (Black) (Registered). Hardy, firm, rich and very popular. Early.			
-----	\$.65	\$4.00	\$25.00
ST. REGIS (Red). An everbearing red variety of fair quality -----	\$.70	\$4.50	\$30.00

Ask for our Special Folder on Superior
Registered Black Raspberries.

ASPARAGUS

	<u>PER 10</u>	<u>PER 100</u>	<u>PER 1000</u>
CONOVER'S COLOSSAL. Very large, deep green.			
2 years -----	\$.25	\$2.00	\$12.00
WASHINGTON. Rustproof. Large stalks and a heavy yielder.			
2 years -----	\$.25	\$2.00	\$12.00

RHUBARB

	<u>PER 10</u>	<u>PER 100</u>	<u>PER 1000</u>
LINNEUS. Medium size, wine colored, tender and fine. Strong roots-----	\$1.00	\$7.00	\$55.00
QUEEN. Extra large, pink stalks.			
Strong roots -----	1.00	7.00	55.00

BLACKBERRIES

	<u>PER 10</u>	<u>PER 100</u>	<u>PER 1000</u>
BLOWERS. Very large; fruit acid. Midseason.			
-----	\$.75	\$5.00	\$35.00
ELDORADO. Hardy and productive; firm, juicy rich fruit. Midseason -----	\$.60	\$4.50	\$30.00

SNYDER. Very hardy and productive. Fruit medium size. Midseason -----

\$.70	\$4.50	\$30.00
--------	--------	---------

Five to twenty-five of one variety and size will be furnished at the ten rate, 25 to 250 at the hundred rate, 250 or more at the thousand rate.

Ornamental Trees**COLE'S ROOT-PRUNED SHADE TREES**

Are specified by careful Landscape Gardeners and buyers who want only the best. Cole's Spacing, which gives the trees ample room to develop properly, is another reason for this specification.

ACER*dasycarpum. Silver Maple—60'*

8 to 10'	-----	\$.85
1 1/4"	-----		1.10
1 1/2"	-----		1.50
1 3/4"	-----		2.00
2"	-----		2.75
2 1/2"	-----		3.50
3"	-----		5.00
3 1/2"	-----		6.50
4"	-----		8.50

dasycarpum wieri. Wier Cutleaf Maple—50'

8 to 10'	-----		1.50
1 1/4"	-----		2.00
1 1/2"	-----		2.50
1 3/4"	-----		3.25
2"	-----		4.00
2 1/2"	-----		5.50
3"	-----		8.00

ACER—Continued

EACH*ginnala. Amur Maple—15'*

2 to 3'	\$.90
3 to 4'	1.25
4 to 5'	1.75
5 to 6'	2.25
6 to 7'	3.00

negundo. Boxelder—60'

6 to 8'	.90
8 to 10'	1.25
1 1/4"	1.60
1 1/2"	2.00
1 3/4"	2.50
2"	3.25

platanoides. Norway Maple—50'

6 to 8'	1.60
8 to 10'	2.00
1 1/4"	2.50
1 1/2"	3.25
1 3/4"	4.00
2"	5.50
2 1/2"	8.50
3"	12.50
3 1/2"	16.00
4"	20.00

Large specimens 6" and up priced on application

palmatum. Japanese Maple—12'

3 to 4', B & B	4.00
4 to 5', B & B	5.50
5 to 6', B & B	7.50

palmatum atropurpureum. Bloodleaf Japanese Maple—8'

1 1/2 to 2', B & B Grafted	2.00
2 to 2 1/2', B & B Heavy grafted	3.00
2 1/2 to 3', B & B Heavy grafted	4.00
3 to 4' B & B Heavy grafted	6.00

platanoides schwedleri. Purple Norway Maple—50'

6 to 8'	2.00
8 to 10'	2.75
1 1/4"	3.50
1 1/2"	4.50
1 3/4"	6.00
2"	8.00

platanoides globosum. Globe Maple—8'

2 year head, 6' stem	6.00
----------------------	------

pseudoplatanus. Sycamore Maple—60'

6 to 8'	1.75
8 to 10'	2.25
1 1/4"	3.25
1 1/2"	4.50

pseudoplatanus purpurascens. Purple Sycamore Maple

8 to 10'	4.00
----------	------

saccharum. Sugar or Rock Maple—60'

6 to 8'	1.60
8 to 10'	2.00
1 1/4"	2.50
1 1/2"	3.25
1 3/4"	4.00
2"	5.50
2 1/2"	8.50
3"	12.50
3 1/2"	16.00
4"	20.00

ACER—Continued

rubrum. *Red or Scarlet Maple*—50'

6 to 8'	\$ 2.25
8 to 10'	3.00
1 $\frac{1}{4}$ "	4.00
1 $\frac{1}{2}$ "	5.00
1 $\frac{3}{4}$ "	7.00
2"	9.00

tataricum. *Tatarian Maple*—12'

5 to 6'	2.00
6 to 8'	2.75
8 to 10'	3.50
10 to 12'	5.00

AESCULUS

carnea. *Red Horsechestnut*. 35'

3 to 4'	3.50
---------	------

hippocastanum. *European Horse Chestnut*—40'

4 to 6'	1.50
6 to 8'	2.00
1 $\frac{1}{2}$ "	4.00
2"	6.00
2 $\frac{1}{2}$ "	8.00
3"	11.00
4"	15.00

AILANTHUS—glandulosa. *Tree-of-Heaven*—40'

6 to 8'	1.25
8 to 10'	1.75
1 $\frac{1}{2}$ "	2.50
2"	4.00
2 $\frac{1}{2}$ "	6.00
3"	8.00
4"	11.00

AMYGDALUS

alboplena. *Double White Flowering Peach*—20'rubroplena. *Double Red Flowering Peach*—20'

2 to 3'	.50
3 to 4'	.75
4 to 5'	1.00
5 to 6'	1.50

folius purpureus. *Purpleleaf Peach*—12'

2 to 3'	.60
3 to 4'	.90

ARALIA—spinosa. *Devil's Walking Stick*—25'

2 to 3'	.60
3 to 4'	.80
4 to 5'	1.00
5 to 6'	1.50
6 to 8'	2.00

BETULA—alba. *European White Birch*—40'

6 to 8'	1.50
8 to 10'	2.25
1 $\frac{1}{2}$ "	3.50
2"	4.50

alba pendula. *European Weeping Birch*—35'

6 to 8'	1.75
8 to 10'	2.25
1 $\frac{1}{4}$ "	3.00
1 $\frac{1}{2}$ "	4.00

nigra. *River Birch*—40'

8 to 10'	3.50
1 $\frac{1}{4}$ "	4.50
1 $\frac{1}{2}$ "	5.50

INDEX—Your pet common name will be found
in the index in back of book.

CATALPAEACH

bignonioides nana. <i>Umbrella Catalpa</i> —10'	
2 year head, 4 to 5' stem-----	\$.75
2 year head, 5 to 6' stem-----	1.00
2 year head, 6 to 7' stem-----	1.50
3 year head, specimens-----	2.50
4 year head, specimens-----	3.50
speciosa. <i>Western Catalpa</i> —35'	
6 to 8'-----	.90
8 to 10'-----	1.25
1½" -----	1.75
2" -----	2.50
2½" -----	4.00
3" -----	6.00
3½" -----	8.00
4" -----	10.00

CERCIDIPHYLLUM — *japonicum. Katsura Tree*—25'EACH

6 to 8'-----	4.50
CLADRASTIS— <i>lutea. Yellow-wood</i> —35'	
2 to 3'-----	1.50

3 to 4'-----	2.00
--------------	------

CRATAEGUS—See Deciduous Shrubs.**DIOSPYROS**—*virginiana. Common Persimmon*—15'

4 to 5'-----	1.25
5 to 6'-----	1.75
6 to 8'-----	2.50

FAGUS *americana. American Beech.* 60'

2 to 3'-----	2.50
3 to 4'-----	3.50

sylvatica riversi. Rivers Purple Beech—45'

2 to 3', B & B-----	5.50
3 to 4', B & B-----	7.00
4 to 5', B & B-----	9.00

FRAXINUS—*americana. White Ash*—60'

6 to 8'-----	1.75
1¾" -----	5.00
2" -----	6.00
2½" -----	7.50
3" -----	9.00

GINKGO—*biloba. Maiden Hair Tree*—50'

6 to 8'-----	4.00
8 to 10'-----	5.00
1¼" -----	6.50
1½" -----	8.00

GLEDTISIA—*triacanthos. Common Honeylocust*—60'

6 to 8'-----	1.50
8 to 10'-----	2.00

GYMNOCLADUS *dioica. Kentucky Coffee tree.* 40'

2 to 3'-----	1.75
--------------	------

KOELREUTARIA—*paniculata. Goldenrain Tree*—25'

4 to 5'-----	1.50
5 to 6'-----	2.00
6 to 8'-----	2.75

LARIX—*europea. European Larch*—45'

4 to 5', B & B-----	4.00
5 to 6', B & B-----	6.00
6 to 8', B & B-----	9.00

LIQUIDAMBER—*styraciflua. Sweet Gum*—50'

6 to 8'-----	4.25
8 to 10'-----	5.50
1¾" -----	8.50

The size immediately following the description indicates approximate height at maturity.

LIRIODENDRON— <i>tulipifera</i> . <i>Tulip Tree</i> —60'	<u>EACH</u>
6 to 8'	\$ 1.50
8 to 10'	2.00
1 $\frac{1}{4}$ "	2.75
1 $\frac{1}{2}$ "	3.50
2"	5.00
2 $\frac{1}{2}$ "	7.00
MAGNOLIA— <i>glauca</i> . <i>Sweet Bay</i> —20'	
1 $\frac{1}{2}$ to 2', B & B	2.00
2 to 3', B & B	2.75
3 to 4', B & B	4.00
4 to 5', B & B	6.00
5 to 6', B & B	8.50
soulangeana. <i>Saucer Magnolia</i> —18'	
2 to 3', B & B	3.50
3 to 4', B & B	5.50
4 to 5', B & B	8.00
5 to 6', B & B	11.00

MALUS

At Cole's you find one of the largest collections
of these Glorious Flowering Crab Trees.
And don't overlook that many of them
are sensational in fruit.

arnoldiana. <i>Arnold Crab</i> —10'	
3 to 4'	.90
4 to 5'	1.25
5 to 6'	1.60
6 to 7'	2.00
atrosanguinea. <i>Carmine Crab</i> —12'	
3 to 4'	.90
4 to 5'	1.25
5 to 6'	1.60
6 to 7'	2.00
baccata. <i>Siberian Crab</i> —25'	
3 to 4'	1.00
5 to 6'	1.75
coronaria. <i>Wild Sweet Crab</i> . Fragrant blush bloom—15'	
3 to 4'	.90
4 to 5'	1.25
5 to 6'	1.60
6 to 7'	2.00
eleyii. Beautiful new variety—Red—12'	
3 to 4'	.90
4 to 5'	1.25
5 to 6'	1.60
6 to 7'	2.00
floribunda. <i>Japanese Flowering Crab</i> —12'	
3 to 4'	.90
4 to 5'	1.25
5 to 6'	1.60
6 to 7'	2.00
7 to 8', extra specimens	5.00
halliana parkmani. <i>Parkman Crab</i> —12'	
Semi-double, rose-pink	
2 to 3'	1.00
3 to 4'	1.25
4 to 5'	1.60
5 to 6'	2.00
ioensis plena. <i>Bechtol's Double Pink Crab</i> —14'	
2 to 3'	.75
3 to 4'	1.00
4 to 5'	1.50

MALUS—Continued	<u>EACH</u>
niedzwetzkyana. <i>Redvein Crab</i> —12'	
3 to 4'-----	\$.90
4 to 5'-----	1.25
5 to 6'-----	1.60
6 to 7'-----	2.00
7 to 8', specimens-----	4.00
prunifolia rinki. <i>Chinese Apple</i> —15'	
3 to 4'-----	1.50
4 to 5'-----	2.00
5 to 6'-----	2.75
purpurea. <i>Purple Crab</i> —14'	
3 to 4'-----	.90
4 to 5'-----	1.25
5 to 6'-----	1.60
6 to 7'-----	2.00
7 to 8', specimens-----	4.00
8 to 10', specimens-----	6.00
sargentii. <i>Sargent Crab</i> . Dwarf, pure white—6'	
3 to 4'-----	1.25
4 to 5'-----	1.60
5 to 6'-----	2.00
6 to 7'-----	2.75
scheideckeri. <i>Double Rose</i> —12'	
3 to 4'-----	.90
4 to 5'-----	1.25
5 to 6'-----	1.60
6 to 7'-----	2.00
sieboldii. <i>Toringo Crab</i> —15'	
3 to 4'-----	.90
4 to 5'-----	1.25
5 to 6'-----	1.60
6 to 7'-----	2.00
7 to 8'-----	3.00
spectabilis riversi fl. pl. <i>Double Chinese Crab</i> —15'	
3 to 4'-----	.90
4 to 5'-----	1.25
5 to 6'-----	1.60
6 to 7'-----	2.00
7 to 8', specimens-----	4.00
sublobata. <i>Yellow Autumn Crab</i> —12'	
4 to 5'-----	1.90
5 to 6'-----	2.50
6 to 7'-----	3.50
theifera. <i>Tea Crab</i> —18'	
3 to 4'-----	1.90
4 to 5'-----	2.90
5 to 6'-----	3.90
toringoides. <i>Cutleaf Crab</i> —15'	
3 to 4'-----	1.90
4 to 5'-----	2.50
5 to 6'-----	3.50
zumi. <i>Zumi Crab</i> —12'	
3 to 4'-----	1.90

MORUS

alba globosa. <i>Globe Mulberry</i> —10'	
2 yr. head, 5 to 7' st-----	5.00
alba pendula. <i>Tea's Weeping Mulberry</i> —8'	
2 year head-----	2.00
3 year head-----	3.00

(See Page 3 for Fruiting Mulberry)

**INDEX—Your pet common name will be found
in the index in back of book.**

NYSSA— <i>sylvatica. Tupelo</i> —60'	EACH
5 to 6'-----	\$ 3.00
6 to 8'-----	4.50
8 to 10'-----	6.50
PHELLODENDRUM— <i>amurense. Amur Corktree</i> —50'	
4 to 5'-----	1.25
5 to 6'-----	1.75
6 to 7'-----	2.25
PLATANUS— <i>orientalis. European Sycamore or plane</i> —70'	
6 to 8'-----	1.00
8 to 10'-----	1.50
1 1/4"-----	1.90
1 1/2"-----	2.50
1 3/4"-----	3.25
2"-----	4.50
2 1/2"-----	7.00
3"-----	9.50
3 1/2"-----	12.50
4"-----	16.00
POPULUS	
bolleana. <i>Bolleana Silver Poplar</i> —50'	
6 to 8'-----	.90
8 to 10'-----	1.25
1 1/4"-----	1.50
1 1/2"-----	1.90
1 3/4"-----	2.25
2"-----	3.00
2 1/2"-----	4.00
3"-----	6.00
eugenie. <i>Carolina Poplar</i> —75'	
8 to 10'-----	.90
1 1/2"-----	1.25
1 3/4"-----	1.75
2"-----	2.50
2 1/2"-----	3.50
3"-----	5.00
4"-----	7.00
nigra italica. <i>Lombardy Poplar</i> —70'	
6 to 8'-----	.75
8 to 10'-----	.90
1 1/2"-----	1.25
1 3/4"-----	1.75
2"-----	2.50
2 1/2"-----	3.50
3"-----	5.00
simoni. <i>Simon Poplar</i> —30'	
6 to 8'-----	.90
8 to 10'-----	1.25
1 1/4"-----	1.60
1 1/2"-----	2.00
2"-----	3.00
2 1/2"-----	4.25
3"-----	6.00
PRUNUS—(See Shrubs for other Prunus)	
americana. <i>American Plum</i> —20'	
4 to 6'-----	.90
6 to 8'-----	1.25
cerasus rhexi. <i>Rhex Cherry</i> —25'	
2 to 3'-----	.90
3 to 4'-----	1.25
4 to 5'-----	1.60
5 to 6'-----	2.00

The size immediately following the description indicates approximate height at maturity.

PRUNUS—Continued

EACH

fugenzo. <i>Kofugen</i> , James H. Veitch—	
Double Pink—30'	
3 to 4'-----	\$ 1.25
4 to 5'-----	1.60
5 to 6'-----	2.00
sekiyama. <i>Kwanzan Cherry</i> . Double dark pink—30'	
3 to 4'-----	1.25
4 to 5'-----	1.60
5 to 6'-----	2.00
serrulata sachalinensis. <i>Yama Cherry</i> —50'	
4 to 5'-----	1.50
5 to 6'-----	2.00
6 to 8'-----	3.00
shirotae. <i>Mt. Fugi Cherry</i> —Double Pure white—30'	
3 to 4'-----	1.25
4 to 5'-----	1.60
5 to 6'-----	2.00
6 to 7'-----	3.00
sieboldi. <i>Siebold Cherry</i> —Double pink—30'	
3 to 4'-----	1.25
4 to 5'-----	1.60
5 to 6'-----	2.00
6 to 7'-----	3.00
subhirtella pendula. <i>Shidare-higan, Weeping Japan Cherry</i> —12'	
1 year head-----	2.50
2 year head-----	3.50
3 year head, specimens-----	6.00

PTELEA—trifoliata. *Hoptree*—12'

6 to 8'-----	1.50
8 to 10'-----	2.00

QUERCUS

palustris. <i>Pin Oak</i> —75'	
5 to 6'-----	1.50
6 to 8'-----	2.25
8 to 10'-----	3.00
1 1/4" -----	3.75
1 1/2" -----	4.75
1 3/4" -----	6.00
2" -----	8.00
2 1/2" -----	11.00
robur. <i>English Oak</i> —70'	
6 to 8'-----	4.00
8 to 10'-----	6.00
rubra. <i>Red Oak</i> —75'	
6 to 8'-----	3.00
1 1/4" -----	5.00
1 1/2" -----	6.50

ROBINIA pseudoacacia. *Common Locust*. 55'

3 to 4'-----	.75
6 to 8'-----	1.25
8 to 10'-----	2.00

SALIX

babylonica. <i>Babylon Weeping Willow</i> —55'	
6 to 8'-----	1.25
8 to 10'-----	1.75
1 1/4" -----	2.50
1 1/2" -----	3.50
2" -----	4.50
3" -----	7.50
4" -----	12.50

SALIX—Continued

	EACH
blanda. <i>Wisconsin Weeping Willow</i> —40'	
6 to 8'	\$ 1.10
8 to 10'	1.50
1 1/4"	2.00
1 1/2"	2.50
1 3/4"	3.25
2"	4.00
2 1/2"	5.50
discolor. <i>Pussy Willow</i> —18'	
2 to 3'	.40
3 to 4'	.60
4 to 6'	.80
6 to 8'	1.00
8 to 10'	1.50
incana. <i>Rosemary Willow</i> —12'	
1 1/2 to 2'	.40
2 to 3'	.50
3 to 4'	.60
4 to 5'	.80
5 to 6'	1.00
6 to 7'	1.50
niobe. <i>Golden Weeping Willow</i> —50'	
6 to 8'	1.25
8 to 10'	1.75
pentandra. <i>Laurel-leaved Willow</i> —25'	
6 to 8'	1.25
8 to 10'	2.00
regalis. <i>Royal Willow</i> —Beautiful silver foliage—35'	
2 to 3', shrub form	.65
3 to 4', shrub form	.90
vitellina. <i>Golden-barked Willow</i> —40'	
6 to 8'	1.00
8 to 10'	1.50
1 1/4"	2.00
1 1/2"	2.50
1 3/4"	3.00
2"	3.75
2 1/2"	5.00
3"	6.50
4"	8.50

SALISBURIA—(See Ginkgo.)

SORBUS—aucuparia. <i>European Mt. Ash</i> —30'	
6 to 8'	1.25
8 to 10'	1.75
1 1/4"	2.50
1 1/2"	3.50
1 3/4"	4.50
2"	6.00
aucuparia pendula. <i>Weeping Mountain-ash</i> —12'	
2 year head, 5 to 7' stem	6.00
4 year head, specimens	10.00
TAXODIUM—distichum. <i>Common Baldcy-</i> <i>press</i> —80'	
3 to 4', B & B	3.00
4 to 5', B & B	4.00
5 to 6', B & B	6.00
6 to 8', B & B	9.00
TILIA—americana. <i>American Linden</i> —80'	
6 to 8'	1.75
8 to 10'	2.75
1 1/2"	4.00
2"	6.50
3"	10.00
4"	14.00

TILIA—ContinuedEACH

<i>vulgaris. Common European Linden—60'</i>	
6 to 8'	\$ 3.00
8 to 10'	4.50
1 $\frac{1}{4}$ "	5.75
1 $\frac{1}{2}$ "	6.50
1 $\frac{3}{4}$ "	7.50
2"	9.00
2 $\frac{1}{2}$ "	12.00
3"	15.00
3 $\frac{1}{2}$ "	18.00
4"	22.00

ULMUS—*americana. White or American Elm—80'*

6 to 8'	1.00
8 to 10'	1.50
1 $\frac{1}{4}$ "	2.00
1 $\frac{1}{2}$ "	2.50
1 $\frac{3}{4}$ "	3.00
2"	4.00
2 $\frac{1}{2}$ "	6.00
3"	9.00
3 $\frac{1}{2}$ "	12.00
4"	15.00

Moline Elm is a wonderful new type of narrow pyramidal growth and of perfect symmetry. Excellent when height and shade are required in a limited space. Indispensable for formal street planting on narrow avenues where large spreading trees cannot be used.

americana moline. Moline Elm—90'

6 to 8'	1.25
8 to 10'	1.60
1 $\frac{1}{4}$ "	2.00
1 $\frac{1}{2}$ "	3.00
1 $\frac{3}{4}$ "	4.50
2"	6.00
2 $\frac{1}{2}$ "	8.50

americana—Vase Type—60'

6 to 8'	1.25
8 to 10'	1.60
1 $\frac{1}{4}$ "	2.00
1 $\frac{1}{2}$ "	3.00

campestris. English Cork Elm—80'

2 $\frac{1}{2}$ "	10.00
3"	14.00
3 $\frac{1}{2}$ "	17.00
4"	20.00
5"	25.00

glabra. Scotch Elm—80"

3"	14.00
4"	18.00

glabra camperdowni. Camperdown Elm—15'

1 year head, 5 to 7' stem	3.50
2 year head, 5 to 7' stem	4.50

pumila Chinese Elm. New—45'

6 to 8'	1.60
8 to 10'	2.00
1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ "	2.75
1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ "	4.00
1 $\frac{3}{4}$ to 2"	5.00
2 to 2 $\frac{1}{2}$ "	6.00
2 $\frac{1}{2}$ to 3"	8.00

Deciduous Shrubs

The size immediately following the description indicates approximate height at maturity.

ABELIA — <i>grandiflora</i> . <i>Glossy Abelia</i> —3'	EACH
2 years -----	\$.60
ACANTHOPanax — <i>pentaphyllum</i> . <i>Five-leaved Aralia</i> —8'	
2 to 3'-----	.40
3 to 4'-----	.50
4 to 5'-----	.65
5 to 6'-----	.80
6 to 7'-----	1.00
ALTHEA —(See <i>Hibiscus</i> .)	
AMELANCHIER — <i>canadensis</i> . <i>Downy Service-berry</i> —10'	
1½ to 2'-----	.60
2 to 3'-----	.80
3 to 4'-----	1.10
4 to 5'-----	1.50
AMORPHA — <i>fruticosa</i> . <i>False Indigo</i> —10'	
2 to 3'-----	.40
3 to 4'-----	.50
4 to 5'-----	.65
5 to 6'-----	.80
ARONIA —(<i>Pyrus</i>)	
<i>arbutifolia</i> — <i>Red Chokeberry</i> —6'	
1½ to 2'-----	.50
2 to 3'-----	.75
3 to 4'-----	1.00
<i>atropurpurea</i> — <i>Purple Chokeberry</i> —6'	
1½ to 2'-----	.50
2 to 3'-----	.75
3 to 4'-----	1.00
4 to 5'-----	1.50
<i>melanocarpa</i> (<i>nigra</i>)— <i>Black Chokeberry</i> —6'	
1½ to 2'-----	.50
2 to 3'-----	.75
3 to 4'-----	1.00
AZALEA —(All Azalea B & B)	
<i>calendulacea</i> — <i>Flame Azalea</i> —Yellow—8'	
1½ to 2'-----	3.25
2 to 3'-----	4.50
<i>canescens roseum</i> — <i>Downy Pinxterbloom</i> —6'	
1½ to 2'-----	3.25
<i>gandavensis</i> — <i>Ghent Azalea</i> —5'	
1½ to 2'-----	4.00
2 to 2½'-----	6.00
2½ to 3'-----	8.00
<i>ledifolia</i> — <i>Snow Azalea</i> —3'	
1½ to 2'-----	4.00
2 to 2½'-----	6.00
<i>mollis</i> — <i>Chinese Azalea</i> —3'	
10 to 15", medium-----	1.00
15 to 18"-----	2.50
1½ to 2'-----	3.50
2 to 2½'-----	4.75
<i>nudiflora</i> — <i>Pinxterbloom</i> —6'	
12 to 18"-----	2.50
1½ to 2'-----	3.50
2 to 3'-----	4.50
<i>yodogawa</i> . Deep Lavender—3'	
12 to 15"-----	2.50
15 to 18"-----	3.25
1½ to 2'-----	4.00

BENZOIN (Lindera), aestivale. <i>Spicebush</i> —10'	<u>EACH</u>
2 to 3'	\$.65
3 to 4'	.85
4 to 5'	1.10
5 to 6'	1.60
6 to 7'	2.25
7 to 8'	3.00
8 to 10'	4.00

BERBERIS

thunbergi. <i>Japanese Barberry</i> —4'	<u>PER 10</u>	<u>PER 100</u>
12 to 15"	\$ 1.25	\$10.00
15 to 18"	1.60	12.50
1½ to 2'	2.00	16.00
2 to 2½'	3.00	25.00
2½ to 3'	4.50	40.00
3, extra heavy	7.50	65.00

thunbergi atropurpurea. *Red Leaved Japanese Barberry*. A beautiful new introduction identical with the common Japanese Barberry except that the foliage is a brilliant blood red. It should be planted in full sun to obtain the best coloring—4'

	<u>EACH</u>	<u>PER 10</u>
12 to 15"	\$.25	\$ 2.00
15 to 18"	.30	2.50
1½ to 2"	.45	3.50
2 to 2½'	.60	5.00
2½ to 3'	.90	8.00

thunbergi minor. *Box Barberry*—3'

	<u>EACH</u>	<u>PER 10</u>
9 to 12"	.30	2.20
12 to 15"	.35	2.50
15 to 18"	.45	3.50
1½ to 2'	.60	5.00

	<u>EACH</u>	<u>PER 10</u>
1 year	\$.60	
2 years	.80	

BUDDLEIA—*alternifolia*. New—6'

A sensational introduction. Unlike all other "Butterfly Bushes" this variety is **Hardy** and does not freeze down in the winter. Charming lilac-purple flowers borne on long arching branches. Profuse in flower throughout the summer. Beautifully distinct foliage.

	<u>EACH</u>
1 year	\$.60
2 years	.80

BUDDLEIA—*Butterflybush or Summer Lilac*
farquhari. New—Deep rose-lilac. Very

	<u>EACH</u>
1 year	\$.30
2 years	.50

Ile de France. New. Dark claret-purple.

Long spikes; free flowering. Vigorous

magnifica. Ox-eye Butterflybush—6'

	<u>EACH</u>
1 year	.25
2 years	.40

CALLICARPA—*purpurea*. *Chinese Beauty-berry*—5'

	<u>EACH</u>
3 to 4'	.50
4 to 5'	.75
5 to 6'	1.00

CALYCANTHUS—*floridus*. *Strawberry Shrub*.
Sweetshrub—5'

	<u>EACH</u>
1½ to 2'	.40
2 to 3'	.50
3 to 4'	.75

	EACH
CARAGANA—arborescens. <i>Siberian Pea-tree</i> —12'	
2 to 3'-----	\$.40
3 to 4'-----	.50
4 to 5'-----	.75
5 to 6'-----	1.00
6 to 7'-----	1.50
CEANOTHUS—americanus. <i>Jersey-tea</i> —3'	
2 years -----	.75
3 years -----	1.00
CEPHALANTHUS—occidentalis. <i>Buttonbush</i> —6'	
1½ to 2'-----	.50
2 to 3'-----	.65
3 to 4'-----	.80
CERCIS—canadensis. <i>Judas Tree. American Redbud</i> —30'	
2 to 3'-----	.60
3 to 4'-----	.75
4 to 5' (B & B at 40c additional)-----	1.00
5 to 6' (B & B at 50c additional)-----	1.50
6 to 8' (B & B at 75c additional)-----	2.00
8 to 9' (B & B at \$1.00 additional)-----	3.00
CHIONANTHUS—virginica. <i>White Fringe</i> —15'	
1½ to 2'-----	.75
2 to 3'-----	1.00
3 to 4'-----	1.50
4 to 5'-----	2.25
CLETHRRA—alnifolia. <i>Sweet Pepper Bush</i> —5'	
12 to 18"-----	.40
1½ to 2'-----	.50
2 to 2½'-----	.65
2½ to 3'-----	.90
COMPTONIA—asplenifolia. <i>Sweetfern</i> —3'	
1 year -----	.60
2 years -----	.90
CORNUS	
alba elegantissima. <i>Silverblotch Dogwood</i> —6'	
2 to 3'-----	.40
3 to 4'-----	.60
4 to 5'-----	.90
alba sibirica. <i>Coral Dogwood</i> —8'	
2 to 3'-----	.35
3 to 4'-----	.50
alba spaethi. <i>Golden-leaved Dogwood</i> —6'	
2 to 3'-----	.50
3 to 4'-----	.75
4 to 5'-----	1.00
alternifolia. <i>Pagoda Dogwood</i> —18'	
2 to 3'-----	.65
3 to 4'-----	.90
4 to 5'-----	1.25
5 to 6'-----	1.75
amomum (sericea). <i>Silky Dogwood</i> —8'	
2 to 3'-----	.50
3 to 4'-----	.65
4 to 5'-----	.80
5 to 6'-----	1.00
6 to 7'-----	1.50
florida. <i>White Flowering Dogwood</i> —20'	
2 to 3' (B & B at 20c additional)-----	.80
3 to 4' (B & B at 25c additional)-----	1.10
4 to 5', B & B-----	1.90
5 to 6', B & B-----	2.75
6 to 8', B & B-----	4.00
8 to 10', B & B-----	6.50
10 to 12', B & B-----	10.00

CORNUS—Continued

EACH

<i>florida rubra.</i> <i>Redflowering Dogwood</i> —20'	
2 to 3', B & B-----	\$ 1.50
3 to 4', B & B-----	2.25
4 to 5', B & B-----	3.00
5 to 6', B & B-----	4.50
6 to 7', B & B-----	6.50
<i>florida welchi.</i> <i>Welch Variegated-leaved Dogwood</i> —Beautiful new form—20'	
2 to 3', B & B-----	4.00
3 to 4', B & B-----	6.00
<i>baileyi.</i> <i>Bailey Dogwood.</i> 10'	
1½ to 2'-----	.50
2 to 3'-----	.75
3 to 4'-----	1.00
<i>kousa.</i> <i>Kousa Dogwood</i> —18'	
2 to 3'-----	1.00
3 to 4'-----	1.50
<i>mas.</i> <i>Cornelian-cherry</i> —20'	
2 to 3'-----	.75
3 to 4'-----	1.10
4 to 5'-----	1.60
5 to 6'-----	2.25
6 to 7'-----	3.00
<i>paniculata.</i> <i>Gray Dogwood</i> —12'	
2 to 3'-----	.50
3 to 4'-----	.75
4 to 5'-----	1.00
<i>sanguinea.</i> <i>Bloodtwig Dogwood</i> —10'	
2 to 3'-----	.40
3 to 4'-----	.50
4 to 5'-----	.75
5 to 6'-----	1.00
<i>stolonifera.</i> <i>Red-osier Dogwood</i> —10'	
2 to 3'-----	.35
3 to 4'-----	.45
4 to 5'-----	.60
5 to 6'-----	.80
6 to 7'-----	1.00
<i>stolonifera flaviramea.</i> <i>Goldentwig Dogwood</i> —6'	
2 to 3'-----	.50
3 to 4'-----	.75

CORYLUS

<i>americana.</i> <i>American Hazelnut</i> —12'	
2 to 3'-----	.60
3 to 4'-----	.80
4 to 5'-----	1.00
<i>avellana.</i> <i>Filbert</i> —15'	
2 to 3'-----	.60
3 to 4'-----	.80
4 to 5'-----	1.00
5 to 6'-----	1.50
6 to 8'-----	2.00
<i>avellana atropurpurea.</i> <i>Purple Filbert</i> —10'	
2 to 3', B & B-----	5.00
3 to 4', B & B-----	6.50
4 to 5', B & B-----	8.00
5 to 6', B & B-----	11.00
6 to 7', B & B-----	14.00

Golden Filbert is the finest of all tall growing golden foliaged subjects. A striking plant to give color and contrast.

CORYLUS—Continued

EACH

avellana aurea. Golden Filbert. Brilliant golden yellow foliage. A striking aristocrat among shrubs. Very hardy—15'

2 to 3'	\$ 2.00
3 to 4'	2.50
4 to 5'	3.00
5 to 6'	3.50
6 to 7'	4.00
7 to 8' specimens	6.00
8 to 10' specimens	8.00

COTONEASTER

acutifolia. Peking Cotoneaster—10'

1 1/2 to 2'	.40
2 to 3'	.50
3 to 4'	.75
4 to 5'	1.00

dielsiana. Diels Cotoneaster—6'

2 to 3', B & B	2.00
3 to 4', B & B	2.75

lucida. sinensis—10'

1 1/2 to 2', B & B	1.50
2 to 3', B & B	2.25

divaricata. Spreading Cotoneaster—6'

1 1/2 to 2', B & B	1.50
2 to 3', B & B	2.25
3 to 4', B & B	3.00
4 to 5', B & B	4.00

horizontalis. Rock Cotoneaster—3'

4" pots, 12 to 15" spread	.90
12 to 18" spread, B & B	1.50
1 1/2 to 2' spread, B & B	2.00

integerrima. European Cotoneaster—4'

12 to 18", B & B	1.75
------------------	------

microphylla. Rockspray—2'

9 to 12" spread, from 2 1/2" pots	.90
10 to 15" spread, from 3" pots	1.25

nitens—5'

2 to 3', B & B	1.50
----------------	------

simonsi. Simons Cotoneaster. 8'

2 to 3', B & B	2.00
3 to 4', B & B	3.00

wilsoni. Wilson Cotoneaster—5'

2 to 3', B & B	2.00
----------------	------

Cotoneasters are difficult to transplant unless grown and handled properly. We establish all difficult varieties in large pots before planting in the nursery.

CRATAEGUS

EACH

coccinea. Scarlet-fruited Hawthorn—10'

2 to 3'	\$ 1.00
3 to 4' (B & B at 25c additional)	1.60
4 to 5' (B & B at 35c additional)	2.25
5 to 6' (B & B at 50c additional)	3.00
6 to 7' (B & B at 75c additional)	4.00

cordata. Washington Hawthorn—15'

3 to 4' (B & B at 25c additional)	1.60
4 to 5' (B & B at 35c additional)	2.25
5 to 6' (B & B at 50c additional)	3.00
6 to 7' (B & B at 75c additional)	4.00

INDEX—Your pet common name will be found in the index in back of book.

CRATAEGUS—Continued

EACH

<i>crusgalli.</i> <i>Cockspur Thorn</i> —20'	
3 to 4' (B & B at 25c additional) -----	\$ 1.75
4 to 5' (B & B at 35c additional) -----	2.50
5 to 6' (B & B at 50c additional) -----	3.25
6 to 7' (B & B at 75c additional) -----	4.25
<i>oxyacantha.</i> <i>English Hawthorn</i> —12'	
3 to 4' (B & B at 25c additional) -----	1.60
4 to 5' (B & B at 35c additional) -----	2.25
5 to 6' (B & B at 50c additional) -----	3.00
6 to 7' (B & B at 75c additional) -----	4.00
<i>oxyacantha splendens.</i> <i>Paul Double Scarlet Hawthorn</i> —15'	
3 to 4' (B & B at 25c additional) -----	1.60
4 to 5' (B & B at 35c additional) -----	2.25
5 to 6' (B & B at 50c additional) -----	3.00
6 to 7' (B & B at 75c additional) -----	4.00
<i>tomentosa.</i> <i>Pear Hawthorn</i> —15'	
3 to 4'-----	1.60
4 to 5'-----	2.25
5 to 6'-----	3.00

CYDONIA—*japonica.* *Japan Quince*—5'

1½ to 2'	.35
2 to 3'-----	.50

DESMODIUM—*penduliflorum.* (See Lespedeza.)

DEUTZIA

gracilis. *Slender Deutzia*—3'

12 to 18"	.30
1½ to 2'	.40
2 to 2½'	.50

gracilis rosea. *Rose Panicle Deutzia*—4'

12 to 18"	.35
1½ to 2'	.45
2 to 2½'	.60
2½ to 3'	.90
3 to 3½'	1.25

lemoinei. *Dwarf white*—5'

1½ to 2'	.35
2 to 2½'	.45
2½ to 3'	.60
3 to 4'-----	.90

magnifica. *Fine. New*—7'EACH

2 to 3'-----	\$.35
3 to 4'-----	.45
4 to 5'-----	.60
5 to 6'-----	.90
6 to 7'-----	1.25

<i>scabra candidissima.</i> <i>Snowflake Deutzia</i> —9'	<u>EACH</u>
2 to 3'-----	\$.40
3 to 4'-----	.50
4 to 5'-----	.75

scabra crenata rosea plena. *Double Rose Deutzia*—7'

2 to 3'-----	.40
3 to 4'-----	.50
4 to 5'-----	.75

scabra Pride of Rochester. *Double Pink*—9'

2 to 3'-----	.35
3 to 4'-----	.45
4 to 5'-----	.60
5 to 6'-----	.90

DIERVILLA — <i>sessilifolia</i> . <i>Southern Bush-honeysuckle</i> —5'	<u>EACH</u>
1 $\frac{1}{2}$ to 2'-----	\$.50
2 to 3'-----	.75
ELEAGNUS	
<i>angustifolia</i> . <i>Russian Olive</i> —15'	
2 to 3'-----	.40
3 to 4'-----	.50
4 to 5'-----	.75
5 to 6'-----	1.00
6 to 8'-----	1.50
<i>umbellata</i> . <i>Autumn Eleagnus</i> —12'	
2 to 3'-----	.60
3 to 4'-----	.80
4 to 5'-----	1.00
5 to 6'-----	1.50
6 to 8'-----	2.00
8 to 9'-----	2.75
EUONYMUS	
<i>alatus</i> . <i>Winged Euonymus</i> —8'	
1 $\frac{1}{2}$ to 2'-----	.40
2 to 3'-----	.50
3 to 4'-----	.75
4 to 5'-----	1.10
<i>alatus compacta</i> . <i>New. Compact, dwarf</i> —5'	
1 $\frac{1}{2}$ to 2'-----	.65
2 to 2 $\frac{1}{2}$ '-----	.90
<i>americanus</i> . <i>Brook Euonymus</i> —7'	
2 to 3'-----	.65
3 to 4'-----	.90
<i>atropurpureus</i> . <i>Wahoo</i> —15'	
2 to 3'-----	.60
3 to 4'-----	.80
4 to 5'-----	1.00
<i>europaeus</i> . <i>Burning Bush</i> —15'	
2 to 3'-----	.50
3 to 4'-----	.60
4 to 5'-----	.75
5 to 6'-----	1.00
6 to 7'-----	1.50
7 to 8'-----	2.00
<i>nanus</i> . <i>Dwarf Burningbush</i> —2 $\frac{1}{2}$ '	
12 to 18"-----	.50
1 $\frac{1}{2}$ to 2'-----	.75
2 to 2 $\frac{1}{2}$ '-----	1.00
<i>yedoensis</i> . <i>Yeddo Euonymus</i> —10'	
1 $\frac{1}{2}$ to 2'-----	.40
2 to 3'-----	.50
3 to 4'-----	.65
4 to 5'-----	.90
5 to 6'-----	1.25

For EVERGREEN EUONYMUS see "Evergreen Shrubs."

EXOCHORDA — <i>grandiflora</i> . <i>Pearl Bush</i> —10'	
2 to 3'-----	.45
3 to 4'-----	.60
4 to 5'-----	.80

The next larger size in each instance represents practically one year's growth. Would you put your planting behind one year for such a small saving? We recommend the larger grades.

FONTANESIA—*fortunei*. *Fortune Fontanesia*—14'

2 to 3'	\$.50
3 to 4'	.75
4 to 5'	1.00
5 to 6'	1.50
6 to 8'	2.00

FORSYTHIA
intermedia. *Border Forsythia*—7'

2 to 3'	.35
3 to 4'	.45
4 to 5'	.60
5 to 6'	.80
6 to 7'	1.00

intermedia spectabilis. *Showy Border Forsythia*—8'

2 to 3'	.35
3 to 4'	.45
4 to 5'	.65
5 to 6'	.90
6 to 7'	1.25

suspensa. *Weeping Forsythia*—5'

2 to 3'	.40
3 to 4'	.60
4 to 5'	.80

suspensa fortunei. *Fortune Forsythia*—7'

2 to 3'	.35
3 to 4'	.45
4 to 5'	.65
5 to 6'	.90
6 to 7'	1.25

suspensa sieboldi. *Siebold Forsythia*—7'

2 to 3'	.40
3 to 4'	.60

HALESIA—*tetraptera*. *Great Silverbell*—18'

2 to 3'	.60
3 to 4'	.80

HAMAMELIS—*virginiana*. *Witch Hazel*—15'

2 to 3'	.60
3 to 4'	.80
4 to 5'	1.00
5 to 6'	1.50
6 to 7'	2.00

HIPPOPHAE *rhamnoides*. *Sea-Buckthorn*—12'

2 to 3'	.90
3 to 4'	1.25

HYDRANGEA
arborescens grandiflora. *Hills of Snow*—6'

1½ to 2'	.35
2 to 3'	.50
3 to 4', clumps	.65
4 to 5', clumps	.90

Nikko blue. *Blue Hydrangea*—5'

2 years	.75
3 years	1.00

paniculata (type). *Panicle Hydrangea*—12'

2 to 3'	.50
3 to 4'	.75
4 to 5'	1.00

paniculata grandiflora. *Peegee*—7'

12 to 18"	.30
1½ to 2'	.40
2 to 3'	.50
3 to 4', tree shape	.90

INDEX—Your pet common name will be found in the index in back of book.

HIBISCUS—syriacus. <i>Althea—Rose of Sharon</i>	<u>EACH</u>
on—15'	
3 to 4'-----	\$.40
4 to 5'-----	.60
5 to 6', Only in varieties starred (*)-----	.90
6 to 7', Only in varieties preceded by †-----	1.25
4 to 5' Tree Shape-----	.90

Anemoneflorus. Semi-double; light rose-pink.

†*Ardens. Double violet purple.

†*Banner. Double white; decided crimson stripes.

†*Boule de Feu. Double violet red.

Coelestis. Single Blue.

Comte de Haimont. Double red.

†*Double Rose. Large double rose.

†*Double White. Pure white, crimson center.

†*Duc de Brabant. Double red.

†*Jeanne d'Arc. Double pure white.

†*Lady Stanley. Double white stained pink.

†*Lucy. Semi-double, clear deep pink.

Paeoniaflorus. Deep double pink.

Rosea. Single white, crimson eye.

Rubis. Single red. All but trees.

*Speciosus. Semi-double, white, pink center.

*Totus Albus. Large single white.

HYPERICUM

densiflorum. *St. Johnswort*—4'

12 to 18"-----	.40
1½ to 2'-----	.60
2 to 2½'-----	.80

moserianum. *Goldflower*—2'

2 years -----	.40
3 years -----	.60

patulum henryi. Hardier than moserianum—3'

2 years -----	.40
3 years -----	.60

ILEX

verticillata. *Black Alder or Winterberry*—6'

1½ to 2'-----	.50
2 to 2½'-----	.75
2½ to 3'-----	1.00
3 to 3½'-----	1.50

KERRIA

japonica—6'

1½ to 2'-----	.75
---------------	-----

japonica flore-pleno. Double Kerria. 5'

1½ to 2'-----	1.00
---------------	------

KOLKWITZIA—amabilis. *Beauty Bush*—6'

1½ to 2'-----	.40
2 to 3'-----	.60
3 to 4'-----	.80

LABURNUM—vulgare. *Goldenchain*—20'

2 to 3'-----	.90
3 to 4'-----	1.25
4 to 5'-----	1.60
5 to 6'-----	2.00
6 to 7'-----	2.75

GRADING

For simplicity we mention in many cases the minimum size only. However, it is our purpose and custom to include all plants up to the next larger size.

LESPEDEZA —formosa (Desmodium). <i>Purple Bushclover</i> —4'		<u>EACH</u>
1 year -----	\$.50	
2 years -----	.75	
3 years -----	1.00	

LIGUSTRUM

<i>amurense. Amur River Privet</i> —12'	<u>PER 10</u>	<u>PER 100</u>
12 to 18", 3 canes and up-----	\$.70	\$ 5.50
1½ to 2', 3 canes and up-----	.90	7.00
2 to 3', 4 canes and up-----	1.25	10.00
3 to 4', extra heavy, 8 canes and up--	2.00	17.50
4 to 5', extra heavy, 10 canes and up--	3.00	27.50
5 to 6', extra heavy, 10 canes and up--	4.50	40.00
6 to 7', extra heavy, 10 canes and up--	6.50	60.00

ibolium. Hardy California Privet—10'

12 to 18", 3 canes and up-----	.70	5.50
1½ to 2', 3 canes and up-----	.90	7.00
2 to 3', 4 canes and up-----	1.25	10.00
3 to 4', extra heavy, 8 canes and up--	2.00	17.50
4 to 5', extra heavy, 10 canes and up--	3.00	27.50
5 to 6', extra heavy, 10 canes and up--	4.50	40.00
6 to 7', extra heavy, 8 canes and up--	6.50	60.00

ibota. Chinese Privet—8'

12 to 18"-----	.90	7.00
1½ to 2'-----	1.20	9.00
2 to 3'-----	1.50	12.00
3 to 4'-----	2.25	20.00
4 to 5'-----	4.00	35.00

ibota regelianum. True—6'

12 to 18"-----	1.50	12.00
1½ to 2'-----	2.00	17.50
2 to 2½'-----	3.00	27.50
2½ to 3'-----	4.50	40.00

nanum compactum. Lodense Privet—2½'

12 to 15"-----	3.00	27.50
15 to 18"-----	4.00	35.00
1½ to 2'-----	6.00	55.00

ovalifolium. California Privet—10'

12 to 18", 3 canes and up-----	.50	4.00
1½ to 2', 3 canes and up-----	.75	6.00
2 to 3', 4 canes and up-----	1.00	8.00
3 to 4', extra heavy, 6 canes and up--	1.75	15.00
4 to 5', extra heavy, 8 canes and up--	2.75	25.00
5 to 6', extra heavy, 8 canes and up--	4.00	35.00

ovalifolium variegatum. Golden California Privet—5'

	<u>EACH</u>	<u>PER 10</u>
1½ to 2'-----	.45	3.50
2 to 3'-----	.60	5.00
3 to 4'-----	.80	6.50

vulgare. English Privet—10'

12 to 18"-----	.25	1.50
1½ to 2'-----	.30	2.00
2 to 3'-----	.40	3.00

vulgare leucocarpum. Yellowberry Privet—10'

3 to 4'-----	.60	5.00
4 to 5'-----	.80	7.00

If you have had trouble with Privet Hedge dieing out (winter killing) try "amurense or ibolium." They are perfectly hardy.

LONICERA—Bush Honeysuckle		EACH
bella albida. <i>White Belle Honeysuckle</i> —8'		
2 to 3'-----	\$.40	
3 to 4'-----	.50	
4 to 5'-----	.65	
5 to 6'-----	.80	
6 to 7'-----	1.00	
bella rosea. <i>Pink Belle Honeysuckle</i> —8'		
2 to 3'-----	.40	
3 to 4'-----	.50	
4 to 5'-----	.65	
5 to 6'-----	.80	
6 to 7'-----	1.00	
fragrantissima. <i>Winter Honeysuckle</i> —8'		
2 to 3'-----	.50	
3 to 4'-----	.60	
4 to 5'-----	.80	
korolkowi floribunda. <i>Broad Blueleaf Honeysuckle</i> —10'		
1 1/2 to 2'-----	.40	
2 to 3'-----	.50	
3 to 4'-----	.75	
maacki. <i>Amur Honeysuckle</i> —10'		
3 to 4'-----	.60	
4 to 5'-----	.80	
5 to 6'-----	1.10	
6 to 7'-----	1.50	
morrowi. <i>Morrow Honeysuckle</i> —8'		
2 to 3'-----	.40	
3 to 4'-----	.50	
4 to 5'-----	.70	
tatarica alba. <i>White Tatarian Honey suckle</i> —10'		
2 to 3'-----	.40	
3 to 4'-----	.50	
4 to 5'-----	.65	
5 to 6'-----	.80	
6 to 7'-----	1.00	
tatarica rosea grandiflora. <i>Pink Tatarian Honeysuckle</i> —10'		
2 to 3'-----	.40	
3 to 4'-----	.50	
4 to 5'-----	.70	
tatarica siberica (rubra). <i>Red Tatarian Honeysuckle</i> —10'		
2 to 3'-----	.40	
3 to 4'-----	.50	
4 to 5'-----	.70	
xylosteum. <i>European Fly Honeysuckle</i> —8'		
2 to 3'-----	.40	
3 to 4'-----	.50	
4 to 5'-----	.70	
5 to 6'-----	.90	
MYRICA		
carolinensis. <i>Northern Bayberry</i> —5'		
12 to 18"-----	.75	
OXYDENDRUM—arboreum. <i>Andromeda, Sourwood, Sorrel Tree</i> —30'		
2 to 3'-----	1.00	
3 to 4'-----	1.50	
4 to 5'-----	2.00	
5 to 6'-----	3.00	
PHOTINIA—villosa. <i>Christmasberry</i> —12'		
1 1/2 to 2'-----	.60	
5 to 6'-----	1.75	
6 to 8'-----	2.50	

Philadelphus, or Mockorange, is famous for its scent. They vary in size of bush, size of flowers and fragrance, but all are delightful.

PHILADELPHUS. <i>Syringa or Mock Orange</i>	<u>EACH</u>
Albatre. Large double flowers—6'	
3 to 4'-----	\$.60
banniere. New, early, semi-double pure white—8'	
2 to 3'-----	.40
3 to 4'-----	.60
4 to 5'-----	.80
5 to 6'-----	1.00
bouquet blanc. Profuse, semi-double pure white—8'	
1 ½ to 2'-----	.35
2 to 3'-----	.45
3 to 4'-----	.60
4 to 5'-----	.80
coronarius. Sweet Scented Syringa—9'	
2 to 3'-----	.40
3 to 4'-----	.50
4 to 5'-----	.70
5 to 6'-----	.90
coronarius aureus. Golden-leaved Syringa—5'	
12 to 15"-----	.35
15 to 18"-----	.40
1 ½ to 2'-----	.50
2 to 2 ½'-----	.70
2 ½ to 3'-----	.90
favorite. New. Immense single flowers—8'	
2 to 3'-----	.50
3 to 4'-----	.65
4 to 5'-----	.80
5 to 6'-----	1.00
Gerbe de Neige. Beautiful; Dwarf—5'	
1 ½ to 2'-----	.75
gordonianus. Strong, upright—10'	
2 to 3'-----	.40
3 to 4'-----	.50
4 to 5'-----	.65
5 to 6'-----	.80
6 to 8'-----	1.00
8 to 9'-----	1.50
grandiflora. Big Scentless Mock Orange—12'	
2 to 3'-----	.40
3 to 4'-----	.50
4 to 5'-----	.65
5 to 6'-----	.80
6 to 8'-----	1.00
8 to 9'-----	1.50
lemoinei. Semi-dwarf—5'	
1 ½ to 2'-----	.35
2 to 3'-----	.45
3 to 4'-----	.60
Manteau d'Hermine. Dwarf; graceful; prolific—5'	
2 to 3'-----	.75
Mont Blanc. Large flowers—10'	
3 to 4'-----	.50
4 to 5'-----	.75
5 to 6'-----	1.00

PHILADELPHUS—ContinuedEACH

norma. New. Mammoth single flowers; fine foliage. Bushy and symmetrical—7'	\$.40
2 to 3'-----	.40
3 to 4'-----	.50
4 to 5'-----	.70
5 to 6'-----	.90
rosace. Semi-dwarf. Large flowers—5'	
1 1/2 to 2'-----	.50
2 to 3'-----	.65
3 to 4'-----	.80
virginal. Splendid new double—8'	
1 1/2 to 2'-----	.35
2 to 3'-----	.45
3 to 4'-----	.60
4 to 5'-----	.90
Voie Lactee. Dwarf Very fine—4'	
1 1/2 to 2'-----	.60
2 to 3'-----	.80
3 to 4'-----	1.00

PHYSOCARPUSopulifolia. *Ninebark*—10'

2 to 3'-----	.40
3 to 4'-----	.50
4 to 5'-----	.65
5 to 6'-----	.80
6 to 7'-----	1.00
opulifolia aurea. <i>Goldleaf Ninebark</i> —10'	
2 to 3'-----	.40
3 to 4'-----	.50
4 to 5'-----	.65
5 to 6'-----	.80
6 to 7'-----	1.00

POTENTILLA—fruticosa. *Shrubby Cinquefoil*—4'

12 to 18"-----	.50
1 1/2 to 2'-----	.65
2 to 2 1/2'-----	.80

PRUNUS—(See Shade for other Prunus).americana Newport. *Purple-leaved American Plum*—20'

3 to 4'-----	.50
4 to 5'-----	.65
5 to 6'-----	.90
6 to 7'-----	1.25

besseyi. *Bessey Cherry*—8'

2 to 3'-----	.75
3 to 4'-----	1.00

cerasifera pissardi. *Purpleleaf Plum*—15'

4 to 5'-----	.65
5 to 6'-----	.90
6 to 7'-----	1.25
7 to 8'-----	1.75
8 to 10'-----	2.50
10 to 12'-----	3.50

cerasifera pissardi nigra. *Deepest purple*—12'

3 to 4'-----	.65
4 to 5'-----	.90
5 to 6'-----	1.25

cistina. *Hansen's Purpleleaf Plum*—6'. A semi-dwarf, very hardy variety with brilliant foliage.

3 to 4'-----	.60
4 to 5'-----	.80
5 to 6'-----	1.00

PRUNUS—Continued

EACH

glandulosa albiplena. Double pinkflowering Almond—5'

glandulosa sinensis. Double whiteflowering Almond—5'

1½ to 2'-----\$.50

2 to 3'-----.75

For Almond on Own-root—add 5 cents each.

Own-root Almond are superior to those on Plum.

othello. Purpleleaf Plum. An improved Pissardi—15'

3 to 4'-----.60

4 to 5'-----.75

5 to 6'-----1.00

6 to 7'-----1.50

tomentosa. Nanking Cherry—10'

2 to 3'-----.65

3 to 4'-----.80

4 to 5'-----1.00

triloba plena. Double pink-flowering Plum—9'

2 to 3'-----.60

3 to 4'-----.80

4 to 5'-----1.00

PYRACANTHA—*coccinea. Scarlet Firethorn*—6'

1½ to 2', B & B-----1.50

2 to 2½', B & B-----2.00

2½ to 3', B & B-----2.50

3 to 4', B & B-----3.25

coccinea lalandi. Laland Firethorn—6'

12 to 18", B & B-----1.00

1½ to 2', B & B-----1.50

2 to 2½', B & B-----2.00

2½ to 3', B & B-----2.50

3 to 4', B & B-----3.25

RHAMNUS

cathartica. Buckthorn—12'

2 to 3'----- (Per 10, \$2.75) .35

3 to 4'----- (Per 10, \$3.00) .40

4 to 5'----- (Per 10, \$6.00) .70

5 to 6'----- (Per 10, \$8.00) .90

frangula. Glossy Buckthorn—10'

2 to 3'----- (Per 10, \$2.75) .35

3 to 4'----- (Per 10, \$3.00) .40

4 to 5'----- (Per 10, \$6.00) .70

5 to 6'----- (Per 10, \$8.00) .90

RHODOTYPOS—*kerrioides. Jetbead*—6'

1½ to 2'-----.35

2 to 3'-----.40

3 to 4'-----.60

4 to 5'-----.80

RHUS

canadensis. Fragrant Sumac—5'

12 to 18"-----.35

1½ to 2'-----.40

2 to 3'-----.60

3 to 4'-----.80

copallina. Shining Sumac—12'

1½ to 2'-----.50

2 to 3'-----.60

3 to 4'-----.80

4 to 5'-----1.10

5 to 6'-----1.50

glabra. Smooth Sumac—10'

2 to 3'-----.50

glabra laciniata. Cutleaf Sumac—5'

2 to 3'-----1.00

3 to 4'-----1.40

RHUS—Continued		<u>EACH</u>
cotinus.	<i>Smoketree or Purple Fringe</i> —12'	
1 ½ to 2'	-----	\$.50
2 to 3'	-----	.70
3 to 4'	-----	.90
4 to 5'	-----	1.25
5 to 6'	-----	1.75
typhina.	<i>Staghorn Sumac</i> —15'	
3 to 4'	-----	.50
4 to 5'	-----	.70
5 to 6'	-----	.90
6 to 7'	-----	1.25
typhina laciniata.	<i>Shredded Sumac</i> —15'	
2 to 3'	-----	.50
3 to 4'	-----	.65
4 to 5'	-----	.80
5 to 6'	-----	1.00
RIBES		
alpinum.	<i>Mountain Currant</i> —5'	
12 to 18"	-----	.40
1 ½ to 2'	-----	.60
2 to 3'	-----	.80
odoratum.	<i>Golden Currant</i> —8'	
2 to 3'	-----	.50
3 to 4'	-----	.75
4 to 5'	-----	1.00
sanguineum.	<i>Ruby Winter Currant</i> —5'	
2 to 3'	-----	.50
3 to 4'	-----	.75
4 to 5'	-----	1.00
5 to 6'	-----	1.40
ROBINIA		
hispida.	<i>Rose Acacia, Flowering Locust</i> —8'	
1 ½ to 2'	-----	.50
2 to 3'	-----	.75
3 to 4', Standard	-----	1.75
viscosa.	<i>Clammy Locust</i> —8'	
1 ½ to 2'	-----	.60
2 to 3'	-----	.90
ROSA—(See Page 58)		
RUBUS—odoratus.	<i>Flowering Raspberry</i> —6'	
2 to 3'	-----	.60
3 to 4'	-----	.90
SAMBUCUS		
canadensis.	<i>Common Elder</i> —10'	
2 to 3'	-----	.40
3 to 4'	-----	.50
4 to 5'	-----	.65
5 to 6'	-----	.80
canadensis acutiloba.	<i>Cutleaf Elder</i> —8'	
5 to 6'	-----	.65
6 to 7'	-----	.90
7 to 8'	-----	1.25
8 to 10'	-----	1.75
nigra aurea.	<i>Golden European Elder</i> —10'	
1 ½ to 2'	-----	.35
2 to 3'	-----	.40
3 to 4'	-----	.50
4 to 5'	-----	.70
5 to 6'	-----	.90
6 to 7'	-----	1.25
racemosa.	<i>European Red Elder</i> —10'	
2 to 3'	-----	.50
3 to 4'	-----	.70
4 to 5'	-----	.90
5 to 6'	-----	1.25
6 to 7'	-----	1.75

SORBARIA	EACH
2 to 3'	\$.50
aitchisoni. <i>Kashmir False-spirea</i> —7'	
3 to 4'	.75
4 to 5'	1.00
sorbifolia. <i>Ural False-spirea</i> —5'	
2 to 3'	.50
3 to 4'	.75
4 to 5'	1.00
SPIRAEA	
Anthony Waterer. Dwarf pink flowering—3'	
12 to 15"	.30
15 to 18"	.40
1½ to 2'	.50
2 to 2½'	.70
arguta. <i>Garland spirea</i> —7'	
1½ to 2'	.35
2 to 3'	.40
3 to 4'	.50
4 to 5'	.70
5 to 6'	.90
billardi. Pink flowering—5'	
2 to 3'	.40
3 to 4'	.50
4 to 5'	.65
5 to 6'	.80
bumalda. Light pink—3'	
1½ to 2'	.40
2 to 2½'	.60
callosa superba. Dwarf light pink—2½'	
12 to 18"	.40
1½ to 2'	.50
2 to 2½'	.65
2½ to 3'	.80
douglasi. Rosy Red flowers—6'	
2 to 3'	.40
3 to 4'	.50
4 to 5'	.65
fortunei (callosa rosea). <i>Fortune Spirea</i> —4'	
1½ to 2'	.40
3 to 4'	.50
4 to 5'	.65
5 to 6'	.80
froebeli. Dwarf pink—4'	
1½ to 2'	.40
2 to 3'	.50
3 to 4'	.70
japonica ovalifolia (Callosa alba). <i>White Japanese Spirea</i> —3'	
12 to 18"	.35
1½ to 2'	.40
2 to 2½'	.60
multiflora. <i>Snowgarland</i> —6'	
2 to 3'	.40
3 to 4'	.50
4 to 5'	.65
5 to 6'	.80
nipponica rotundifolia. <i>Big Nippon Spirea</i> —White, June. Beautiful foliage—8'	
1½ to 2'	.75
2 to 3'	1.00
opulifolia—(See <i>Physocarpus</i>).	
paniculata rosea. <i>Pink panicles</i> —5'	
3 to 4'	.75

The size immediately following the description indicates approximate height at maturity.

SPIRAEA—Continued

	EACH
prunifolia plena. <i>Double Bridalwreath</i> —8'	
2 to 3'-----	\$.40
3 to 4'-----	.50
4 to 5'-----	.70
5 to 6'-----	.90
6 to 7'-----	1.25
reevesiana. <i>Reeves Spirea</i> —7'	
2 to 3'-----	.40
3 to 4'-----	.60
4 to 5'-----	.80
reevesiana lanceata. Double white flower-	
ing—5'	
2 to 3'-----	.40
3 to 4'-----	.60
4 to 5'-----	.80
salicifolia. <i>Willowleaf Spirea</i> —6'	
3 to 4'-----	.50
4 to 5'-----	.70
thunbergi. Early single white flowering—5'	
1½ to 2'-----	.35
2 to 2½'-----	.40
2½ to 3'-----	.50
3 to 4'-----	.65
4 to 5'-----	.80
tomentosa. <i>Hardhack</i> —4'	
2 to 3'-----	.40
3 to 4'-----	.50
4 to 5'-----	.70
tricocarpa. <i>Korean Bridalwreath</i> . New—5'	
1½ to 2'-----	.35
2 to 3'-----	.40
3 to 4'-----	.60
vanhouttei. Single white flowering—10'	
1½ to 2'----- (Per 10, \$1.25)	.20
2 to 3'----- (Per 10, \$1.60)	.25
3 to 4'----- (Per 10, \$2.25)	.30
4 to 5'----- (Per 10, \$3.50)	.45
5 to 6'-----	.65
6 to 7'-----	.90
5 to 6', Heavy specimen clumps-----	1.50
6 to 7', Heavy specimen clumps-----	2.00
wallufi. Dwarf Crimson Flowering—Bet-	
ter color than Anthony Waterer—3'	
1½ to 2'-----	.60
STAPHYLEA trifolia. <i>American Bladdernut</i> . 12'	
2 to 3'-----	.90
STEPHANANDRA — flexuosa. <i>Cutleaf Ste-</i>	
<i>phanandra</i> —6'	
1½ to 2'-----	.40
2 to 3'-----	.50
3 to 4'-----	.65
4 to 5'-----	.80
STYRAX japonica. <i>Japanese Snowbell</i> . 18'	
2 to 3'-----	.90
SYMPHORICARPOS	
mollis. <i>Spreading Snowberry</i> —6'	
2 to 3'-----	.40
3 to 4'-----	.60
4 to 5'-----	.80
occidentalis heyeri. <i>Wolfberry</i> —7'	
2 to 3'-----	.40
3 to 4'-----	.60
4 to 5'-----	.80

SYMPHORICARPUS —Continued	<u>EACH</u>
racemosus. <i>Snowberry or Waxberry</i> —6'	
1½ to 2'-----	\$.30
2 to 3'-----	.35
3 to 4'-----	.45
4 to 5'-----	.60
vulgaris. <i>Coralberry or Indian Currant</i> —4'	
1½ to 2'-----	.30
2 to 3'-----	.40
3 to 4'-----	.50
vulgaris chenaulti. <i>Improved Coralberry</i> —5'	
1½ to 2'-----	.40
2 to 3'-----	.50
3 to 4'-----	.65
SYMPLOCOS —paniculata. <i>Asiatic Sweetleaf</i> —10'	
2 to 3'-----	2.00
3 to 4'-----	3.00
4 to 5'-----	4.00
SYRINGA —Lilac	
chinensis (rothomagensis). Red flowering—10'	
2 to 3'-----	.40
3 to 4'-----	.50
4 to 5'-----	.70
5 to 6'-----	.90
japonica. <i>Japanese Tree Lilac</i> —20'	
2 to 3'-----	.60
3 to 4'-----	.80
4 to 5'-----	1.10
5 to 6'-----	1.50
josikaea. <i>Hungarian Lilac</i> —10'	
2 to 3'-----	.50
3 to 4'-----	.65
4 to 5'-----	.80
pekinensis. <i>Peking Lilac</i> —15'	
4 to 5'-----	1.50
5 to 6'-----	2.00
persica. <i>Persian Lilac</i> —10'	
1½ to 2'-----	.40
2 to 3'-----	.50
3 to 4'-----	.70
4 to 5'-----	.90
persica alba. <i>White Persian Lilac</i> —10'	
2 to 3'-----	.90
villosa. <i>Late Lilac</i> —8'	
2 to 3'-----	.40
3 to 4'-----	.60
4 to 5'-----	.90
vulgaris. Hybrids—Following named sorts—10'	
1½ to 2'-----	.45
2 to 3'-----	.60
3 to 4'-----	.80
4 to 5'-----	1.25
Alphonse Lavalee. Double bluish lilac.	
Belle de Nancy. Double satiny pink.	
Congo. Single red.	
Frau Bertha Dammann. New. Single pure glistening white. 10c. each additional.	
Gloire de Lorraine. Heavenly blue. Double. 10c additional.	
LaTour d'Auvergne.	
Ludwig Spaeth. Single red.	
Mme. Abel Chatenay. Double white.	
Mme. Casimer Perier. Double creamy white.	
Mme. Lemoine. Double pure white.	
Marie Legraye. Single white.	
Michael Buchner. Double pale lilac.	
President Grevy. Double blue.	

SYRINGA—Continued

EACH

vulgaris. *Common Purple Lilac*—12'

Specimen Clumps, Double Price

2 to 3'	\$.35
3 to 4'	.45
4 to 5'	.65
5 to 6'	.90

vulgaris alba. *Common White Lilac*—12'

2 to 3'	.50
3 to 4'	.70
4 to 5'	.90

TAMARIX

africana. Early, light pink—12'

2 to 3'	.40
3 to 4'	.50
4 to 5'	.65
5 to 6'	.80
6 to 7'	1.10

amurensis. *Amur Tamarix*—Deep pink.

Bluish green foliage. July—8'

2 to 3'	.40
3 to 4'	.50
4 to 5'	.65
5 to 6'	.80
6 to 7'	1.10

gallica. *French Tamarix*—Deep pink.

Bluish green foliage. July—8'

2 to 3'	.50
3 to 4'	.65
4 to 5'	.80
5 to 6'	1.00

odessana. Late pink—Bluish green foliage—8'

2 to 3'	.40
3 to 4'	.50
4 to 5'	.70

pentandra (*Hispida aestivalis*). *Fivestamen Tamarix*—8'

2 to 3'	.50
3 to 4'	.65
4 to 5'	.80
5 to 6'	1.00
6 to 7'	1.25

tetandra (*purpurea*). *Fourstamen Tamarix*—Deep green foliage—10'

3 to 4'	.50
4 to 5'	.65
5 to 6'	.80
6 to 7'	1.10

VACCINIUM—*corymbosum*. *Highbush Blueberry*—4'

1 1/2 to 2', (B & B at 25c additional)	.90
2 to 3', (B & B at 30c additional)	1.50
3', B & B	2.75

VIBURNUM

acerifolium. *Mapleleaf Viburnum*—5'

1 1/2 to 2'	.60
2 to 3'	.90
3 to 4'	1.25

americanum (*oxycoccos*). *American Cranberrybush*—8'

1 1/2 to 2'	.40
2 to 3'	.50
3 to 4'	.65
4 to 5'	.80

VIBURNUM—Continued

cassinoides. *Withe Rod*—6'

	<u>EACH</u>
1 $\frac{1}{2}$ to 2'	\$.50
2 to 3'	.70
3 to 4'	.90

VIBURNUM

carlesi. *Fragrant Viburnum*—4'

15 to 18", B&B 15c additional	\$.75
1 $\frac{1}{2}$ to 2", B&B 20c additional	1.00
2 to 2 $\frac{1}{2}$ ", B&B 20c additional	1.50
2 $\frac{1}{2}$ to 3", B&B 25c additional	2.25
3 to 3 $\frac{1}{2}$ ", B&B 30c additional	3.00

We have probably the largest salable supply of this fine new "plant aristocrat"—Cole's quality, too.

dentatum. *Arrowwood*—12'

	<u>EACH</u>
1 $\frac{1}{2}$ to 2'	.40
2 to 3'	.50
3 to 4'	.60
4 to 5'	.80
5 to 6'	1.00
6 to 7', extra specimen	2.50

lantana. *Wayfaring Tree*—15'

2 to 3'	.50
3 to 4'	.60
4 to 5'	.80
5 to 6'	1.00

lentago. *Sheepberry*—20'

2 to 3'	.50
3 to 4'	.70
4 to 5'	.90
5 to 6'	1.25
6 to 7'	1.75

molle. *Kentucky Viburnum*—10'

1 $\frac{1}{2}$ to 2'	.40
2 to 3'	.50
3 to 4'	.65

nudum. *Smooth Withe-rod*—8'

2 to 3'	.90
3 to 4'	1.40

opus. *European Cranberrybush*—Scarlet Berries—10'

1 $\frac{1}{2}$ to 2'	.35
2 to 3'	.40
3 to 4'	.50
4 to 5'	.70
5 to 6'	.90
6 to 7'	1.25

opus nanum. Very dwarf—2'

6 to 9"	.40
9 to 12"	.50
12 to 15"	.65

opus sterile. *Common Snowball*—12'

1 $\frac{1}{2}$ to 2'	.35
2 to 3'	.40
3 to 4'	.50
4 to 5'	.65
5 to 6'	.80
6 to 7'	1.25

prunifolium. *Blackhaw*—12'

1 $\frac{1}{2}$ to 2'	.75
2 to 2 $\frac{1}{2}$ '	1.00

VIBURNUM—Continued

EACH

pubescens. *Downy Viburnum*—6'

1 $\frac{1}{2}$ to 2'	\$.40
2 to 3'	.60
3 to 4'	.90
4 to 5'	1.25
5 to 6'	1.75

rhytidophyllum. *Leatherleaf Viburnum*—6'

1 $\frac{1}{2}$ to 2', B & B	2.00
2 to 2 $\frac{1}{2}$ ', B & B	3.00
2 $\frac{1}{2}$ to 3', B & B	4.00
3 to 3 $\frac{1}{2}$, B & B	6.00

sieboldi. *Siebold Viburnum*—10'

2 to 3'	.50
3 to 4'	.70
4 to 5'	.90
5 to 6'	1.25

tomentosum. *Doublefile Viburnum*—8'

2 to 3'	.40
3 to 4'	.60
4 to 5'	.90
5 to 6'	1.25

tomentosum plicatum. *Japan Snowball*—8'

1 $\frac{1}{2}$ to 2'	.40
2 to 3'	.60
3 to 4'	.90
4 to 5'	1.25

wrighti. *Wright Viburnum*. 8'

1 $\frac{1}{2}$ to 2'	.90
2 to 3'	1.25

VITEX—agnus-castus. *Lilac Chaste-tree*—4'

1 $\frac{1}{2}$ to 2'	.50
2 to 3'	.65

negundo incisa. *Cutleaf Chaste-tree*—4'

1 $\frac{1}{2}$ to 2'	.50
2 to 3'	.65
3 to 4'	.80

WEIGELA

abel carriere. *Beautiful rose color*—10'

2 to 3'	.40
3 to 4'	.50
4 to 5'	.65
5 to 6'	.80

amabilis. *Rose Weigela*—8'

2 to 3'	.40
3 to 4'	.60
4 to 5'	.80

candida. *Snow Weigela*—10'

2 to 3'	.40
3 to 4'	.50
4 to 5'	.65
5 to 6'	.80
6 to 7'	1.10

Eva Rathke. *Crimson flowering*—5'

12 to 18"	.40
1 $\frac{1}{2}$ to 2'	.50
2 to 3'	.65
3 to 4'	.80

floribunda. *Crimson Weigela*—8'

1 $\frac{1}{2}$ to 2'	.40
2 to 3'	.50
3 to 4'	.65
4 to 5'	.80

hendersoni. *Pink*—10'

2 to 3'	.40
3 to 4'	.60

	EACH
WIEGELA—Continued	
rosea. <i>Pink Weigela</i> —8'	
1 1/2 to 2'-----	\$.30
2 to 3'-----	.35
3 to 4'-----	.50
4 to 5'-----	.65
rosea folius purpureis. Purple foliage—5'	
2 to 3'-----	.50
3 to 4'-----	.75
rosea nana variegata. <i>Variegated-leaved Weigela</i> —5'	
1 1/2 to 2'-----	.40
2 to 3'-----	.50
3 to 4'-----	.65
ZANTHORHIZA—apiifolia. <i>Yellowroot</i>—2'	
1 year -----	.40
2 years -----	.60
3 years -----	.80

Evergreens

Prices include balling and burlapping roots.

ABOVE ALL—Evergreens must be bought from a proper source for successful planting. If the resinous sap once sets in the roots from exposure, drying, etc., the flow can never be started again, and the tree dies.

	EACH
ABIES	
balsamea. <i>Balsam Fir</i> —40'	
2' -----	\$ 2.50
2 1/2' -----	3.25
3' -----	4.50
4' -----	6.00
5' -----	8.00
6' -----	11.00
concolor. <i>White Fir</i> —50'	
1 1/2' -----	2.25
2' -----	3.50
2 1/2' -----	4.50
3' -----	6.50
4' -----	11.00
5' -----	15.00
6' -----	22.00
7' -----	28.00
8' -----	34.00
veitchi. <i>Vitch Fir</i> —70'	
3' -----	8.50
4' -----	12.00
5' -----	17.00
JUNIPERUS	
chinensis albovariegata. <i>Whiteleaf Chinese Juniper</i> —7'	
2' -----	2.75
2 1/2' -----	4.00
3' -----	5.50
4' -----	8.00
chinensis columnaris glauca. <i>Silver Column Chinese Juniper</i> —20'	
2' -----	2.25
2 1/2' -----	3.00
3' -----	4.00
4' -----	5.50
5' -----	7.50

JUNIPERUS—Continued	<u>EACH</u>
chinensis mascula—10'	
2' -----	\$ 2.75
2½' -----	3.50
3' -----	5.00
4' -----	7.00
chinensis pfitzeriana. <i>Pfitzer Juniper</i> —6'	
1½' spread -----	1.60
2' upright type-----	2.50
2' spread -----	2.25
2½' upright type-----	3.25
2½' spread -----	3.00
3' upright type-----	4.75
3' spread -----	4.50
3½' upright type -----	6.50
3½' spread -----	6.00
4' spread -----	8.00
chinensis procumbens—4'	
2½' -----	4.50
3' -----	6.00
4' -----	7.50
chinensis sargentii. <i>Sargent Juniper</i> —2'	
15" spread -----	3.00
1½' spread -----	4.00
communis depressa plumosa. <i>Purple Spreading Juniper</i> . 3'	
12" spread -----	1.25
1½' spread -----	2.00
communis hibernica. <i>Irish Juniper</i> —8'	
1½' -----	1.00
2' -----	1.50
2½' -----	2.00
3' -----	2.75
communis suecica. <i>Swedish Juniper</i> —8'	
1½' -----	1.25
2' -----	1.60
excelsa stricta. <i>Spiny Greek Juniper</i> —4'	
12" -----	1.35
15" -----	1.75
1½' -----	2.25
2' -----	3.75
horizontalis. <i>Trailing Juniper</i> —1½'	
1½' spread -----	1.75
2' spread -----	2.50
2½' spread -----	3.75
3' spread -----	4.50
horizontalis douglasii. <i>Waukegan Juniper</i> —2'	
1½' spread -----	2.00
2' spread -----	2.75
2½' spread -----	3.75
3' spread -----	4.50
sabina horizontalis. <i>Bar Harbor Juniper</i> . 1'	
1½' spread -----	2.25
2' spread -----	3.25
sabina. <i>Savin Juniper</i> —6'	
15" spread -----	1.25
1½' spread -----	1.75
2' spread -----	2.50
2½' spread -----	3.25
3' spread -----	4.00
3½' spread -----	5.00
4' spread -----	6.50
sabina tamariscifolia. <i>Tamarix Savin</i> —1½'	
12" spread -----	1.75
1½' spread -----	3.00

JUNIPERUS—Continued		<u>EACH</u>
scopulorum.	<i>Colorado Juniper</i> —25'	
2'		\$ 1.50
2½'		2.50
3'		3.25
4'		4.00
5'		6.50
scopulorum chandlers silver.	New. In-	
tense Blue—18'		
1½'		3.50
squamata meyeri.	<i>Meyer Juniper</i> —4'	
12"		2.25
15"		3.00
1½'		4.50
virginalis globosa.	<i>Globe Juniper</i> —4'	
12"		2.75
1½'		3.50
2'		5.50
virginiana.	<i>Redcedar</i> —25'	
2'		1.50
2½'		2.00
3'		2.75
4'		4.00
5'		7.00
6'		9.50
7'		14.00
8'		18.00
9'		22.50
virginiana cannarti.	<i>Cannart Redcedar</i> —15'	
2'		2.50
2½'		3.50
3'		4.75
4'		6.50
5'		9.00
6'		12.00
virginiana elegantissima.	<i>Goldtip Redcedar</i> —15'	
1½'		2.75
2'		3.75
2½'		5.50
3'		7.00
virginiana glauca.	<i>Silver Redcedar</i> —20'	
2'		2.50
2½'		3.25
3'		4.00
4'		5.50
5'		7.50
6'		11.00
virginiana keteleeri.	<i>Keteleer Redcedar</i> —15'	
2'		2.50
2½'		3.50
3'		4.50
4'		6.00
virginiana kosteri.	<i>Koster Redcedar</i> —4'	
12" spread		1.50
3' spread		6.00
3½' spread		8.00
4' spread		11.00

GRADING

For simplicity we mention in many cases the minimum size only. However, it is our purpose and custom to include all plants up to the next larger size.

JUNIPERUS—Continued

EACH

virginiana pyramidiformia hilli. *Dundee**Juniper.* 18'

1½'	\$ 2.00
2'	3.00
2½'	4.00
3'	5.00

virginiana schotti. *Schott Redcedar.* 18'

2'	2.75
2½'	4.00
3'	5.00

PICEA

canadensis (alba). *White Spruce*—50'

1½'	1.25
2'	1.75
2½'	2.25
3'	2.75
4'	4.25

canadensis albertiana. *Black Hills Spruce*—50'

1½'	1.25
2'	1.75
2½'	2.25
3'	2.75
4'	4.25

excelsa. *Norway Spruce*—80'

2'	1.00
2½'	1.35
3'	1.75
4'	2.75
5'	4.25
6'	7.00
7'	11.00
8'	13.50

pungens. *Colorado Green Spruce*—60'

1½'	1.40
2'	1.75
2½'	2.75
3'	4.25
4'	6.00
5'	8.00
6'	12.00

pungens glauca. *Colorado Blue Spruce*—60'

EACH

1½'	\$ 2.75
2'	4.00
2½'	5.00
3'	6.00
3½'	7.50
4'	10.00
5'	14.00
6'	20.00
7'	27.50
8'	35.00
9'	45.00
10'	60.00

pungens glauca pendula. *Weeping Blue Spruce*—50'

EACH

1½'	\$ 4.75
2'	6.00
2½'	8.00
3'	11.00
3½'	13.50

PICEA—Continued

EACH*pungens glauca kosteri. Koster's Blue**Spruce—60'*

15"	\$ 4.00
1 1/2'	5.00
2'	6.50
2 1/2'	8.50
3'	12.00
3 1/2'	16.00
4'	20.00
5'	30.00
6'	42.50
7'	52.50
8'	62.50
9'	75.00

sargentiana. Sargent Spruce. 60'

2 1/2'	8.50
3'	12.00

PINUS

densiflora. Japanese Red Pine—40'

3'	2.75
4'	3.75
5'	4.75
6'	6.50
7'	9.00

flexilis. Limber Pine—30'

2'	2.25
2 1/2'	3.00
3'	4.00

montana. Swiss Mountain Pine. 15'

12"	1.25
1 1/2'	2.25
2'	3.75
2 1/2'	5.00
3'	6.50
4'	8.50

montana mughus. Dwarf Mountain Pine—3'

9" spread	1.00
12" spread	1.25
15" spread	1.60
1 1/2' spread	2.50
2' spread	4.00
2 1/2' spread	5.25
3' spread	6.50
3 1/2' spread	9.00

nigra. Austrian Pine—60'

1 1/2'	1.35
2'	1.60
2 1/2'	2.25
3'	2.75
4'	4.25
5'	8.00
6'	11.00

ponderosa. Western Yellow Pine—80'

2'	2.25
2 1/2'	2.75
3'	3.50
4'	5.00

sylvestris compacta. Fine, compact, slow growing type—50'

4' specimens	5.00
5' specimens	7.00
6' specimens	9.50
7' specimens	12.50

The late Mr. Ernest H. (Chinese) Wilson of Arnold Arboretum (One of America's greatest and most beloved Plantsmen) said to us—

"Your CHINESE PINE

is the scarce TRUE variety practically unknown in America. It is one of the very choicest of Pines. I am glad that you have such a marvelous planting to distribute to the American public. When better known, Chinese Pine will be heavily planted in our country."

PINUS

sinensis. Chinese Pine—60'. A beautiful compact growing variety; deep, glossy green foliage.

	<u>EACH</u>
3'	\$ 2.75
4'	3.75
5'	4.75
6'	6.50
7'	9.00

PINUS—Continued

strobus. White Pine—80'

	<u>EACH</u>
3'	\$ 2.75
4'	3.75
5'	5.50
6'	8.00
7'	12.50
8', specimens	15.00
9', specimens	20.00
10', specimens	25.00
12', specimens	35.00
14', specimens	50.00

sylvestris. Scotch Pine—70'

	<u>EACH</u>
3'	\$ 2.75
4'	3.75
5'	4.75
6'	6.50
7'	8.50
8'	12.00
10'	17.00

PSEUDOTSUGA

douglasi. Douglas Fir—70'

	<u>EACH</u>
1 1/2'	1.25
2'	1.50
2 1/2'	2.25
3'	3.25
4'	5.00
5'	8.00
6'	12.00
7'	15.00

Pseudotsuga douglasi glauca, or Blue Douglas Fir, is a new and striking tree that is very scarce. Several of these will give a striking appearance to your Evergreen planting.

douglasi glauca. Blue Douglas Fir—70'

	<u>\$</u>	<u>EACH</u>
3'	12.50	
4'	18.00	
5'	25.00	
6'	35.00	
7'	42.50	

RETINOSPORA

EACH

<i>filifera</i> . <i>Thread-branched Japanese Cypress</i> —12'	
1½' -----	\$ 1.75
2' -----	2.50
2½' -----	3.75
3' -----	4.75
4' -----	6.00
5' -----	8.00
6' -----	11.00
<i>filifera aurea</i> . <i>Golden thread-branched Japanese Cypress</i> —7'	
12" -----	2.50
15" -----	3.25
1½' -----	4.00
2' -----	5.50
2½' -----	7.00
<i>obtusa nana</i> . <i>Dwarf Hinoki Cypress</i> —3'	
15" -----	3.00
1½' -----	4.50
<i>pisifera</i> . <i>Pea-fruited Japan Cypress</i> — <i>Sawara Retinospora</i> —25'	
3' -----	3.50
4' -----	4.50
5' -----	5.50
6' -----	6.50
7' -----	8.50
8' -----	12.00
9' -----	17.50
12' -----	37.50
<i>pisifera aurea</i> . <i>Golden pea-fruited Japan Cypress</i> —25'	
3' -----	3.50
4' -----	4.50
5' -----	5.50
6' -----	6.50
7' -----	8.50
8' -----	12.00
9' -----	17.50
15' -----	50.00
<i>plumosa</i> . <i>Plume-like Cypress</i> —20'	
1½' -----	1.25
2' -----	1.60
2½' specimens -----	3.00
3' specimens -----	4.50
4' specimens -----	5.50
5' specimens -----	6.50
6' specimens -----	9.50
7' specimens -----	12.00
8' specimens -----	15.00
9' specimens -----	20.00
We have a block of beautiful tightly sheared specimens as follows:	
2' high, 2½' spread -----	5.00
2' high, 3' spread -----	5.75
2' high, 3½' spread -----	6.50
2½' high, 3½' sprea -----	8.00
3½' high, 3½' sprea -----	10.00
4' high, 4' spread-----	12.50
<i>plumosa argentia</i> . <i>Silvertip Cypress</i> —18'	
3' -----	3.50
4' -----	5.50
5' -----	6.50

The size immediately following the description indicates approximate height at maturity.

RETINOSPORA—Continued

EACH

plumosa aurea. Goldenplume Cypress—18'

1 1/2'	\$ 1.25
2'	1.60
2 1/2' specimens	3.00
3' specimens	4.00
4' specimens	5.50
5' specimens	6.50
6' specimens	9.50
7' specimens	12.50
8' specimens	16.00
9' specimens	20.00

plumosa compacta aurea. Dwarf Golden-plume Cypress—4'

12"	1.75
15"	2.50
1 1/2'	3.75
2'	4.75
2 1/2'	5.75

squarrosa. Silver Cypress—20'

1 1/2'	1.40
2'	1.75
2 1/2'	2.50
3'	3.75
4'	4.75
5'	5.75
6'	8.00

TAXUS

baccata repandens. Spreading English Yew—2'

12" spread	1.75
15" spread	2.75
1 1/2' spread	3.75
2' spread	4.75

canadensis. Canada Yew—2 1/2'

15" spread	2.75
1 1/2' spread	3.75
2' spread	4.75

cuspidata. Japanese Yew—6'

12" spread	1.25
15" spread	1.75
1 1/2' spread	2.50
2' spread	4.25
2 1/2' spread	6.50
3' spread	10.00

cuspidata capitata. Upright Japanese Yew—8'

2'	4.75
2 1/2'	6.00

cuspidata nana (brevifolia)—Dwarf Japanese Yew—4'

9"	1.50
12"	2.00
15"	2.75
1 1/2'	4.25
2'	6.50

media hicksi. Hicks Yew—10'

2'	6.00
2 1/2'	8.00

The care in growing, packing and shipping
exercised by the Cole Nursery Company, guarantees your success with "Everything That is Good and Hardy."

THUJA

EACH

occidentalis. <i>American Arborvitae</i> —25'		
1½' -----	\$.90	
2' -----	1.10	
2½' -----	1.35	
3' -----	1.60	
4' -----	2.25	
5' -----	3.50	
6' -----	4.75	
7' -----	6.50	
8' -----	11.00	
occidentalis caucasica. <i>Large globe</i> —5'		
1½' -----	1.75	
2' -----	2.75	
2½' -----	3.75	
occidentalis columbia. <i>Columbia Arborvitae</i> —8'		
2' -----	2.75	
3' -----	4.00	
4' -----	5.00	
5' -----	7.00	
6' -----	10.00	
7' -----	12.50	
8' -----	15.00	
occidentalis compacta. <i>Person's Arborvitae</i> —3'		
15" -----	1.00	
1½' -----	1.40	
2' -----	2.75	
occidentalis douglasi aurea. <i>Douglas Golden Arborvitae</i> —12'		
2' -----	1.50	
3' -----	2.75	
4' -----	4.25	
5' -----	5.50	
6' -----	8.00	
occidentalis elegantissima. <i>Goldtip Arborvitae</i> —12'		
2' -----	1.40	
3' -----	2.25	
4' -----	3.25	
5' -----	4.25	
6' -----	6.50	
7' -----	10.00	
8' -----	14.00	
occidentalis ellwangeriana. <i>Tom Thumb Arborvitae</i> —5'		
1½' -----	1.40	
2' -----	1.75	
2½' -----	2.75	
3' -----	3.75	
4' -----	4.75	
occidentalis globosa. <i>Globe Arborvitae</i> —4'		
15" -----	1.00	
1½' -----	1.40	
2' -----	2.25	
2½' -----	4.25	
3' -----	6.50	
occidentalis hoveyi. <i>Hovey Arborvitae</i> —6'		
15" -----	1.00	
1½' -----	1.35	
2' -----	2.00	
2½' -----	3.25	
3' -----	4.75	
3½' -----	6.50	

THUJA—Continued

EACH

occidentalis lutea. *George Peabody—**Golden Arborvitae—12'*

1½'	\$ 1.40
2'	1.75
2½'	2.75
3'	3.75
4'	4.50
5'	6.00
6'	8.00

occidentalis plicata. *Moss Arborvitae—15'*

2'	2.25
2½'	3.75
3'	4.75
4'	6.00
5'	9.00
6'	14.00

occidentalis pyramidalis. *Pyramidal Arborvitae—25'*

1½'	1.00
2'	1.40
2½'	1.75
3'	2.50
4'	3.75
5'	5.00
6'	7.50
7'	11.50

occidentalis reidi. *Reid Arborvitae—5'*

1½'	1.40
2'	2.25
2½'	3.75
3'	4.75

occidentalis umbraculifera. *Umbrella Arborvitae—4'*

15"	1.40
1½'	1.75
2'	2.75
2½'	3.75
3'	4.75

occidentalis vervaeneana. *Vervaene Arborvitae—10'*

2'	1.40
3'	2.25
4'	3.75
5'	5.00
6'	7.00

occidentalis wareana. *Ware or Siberian Arborvitae—12'*

1½'	1.25
2'	1.60
2½'	2.50
3'	4.00
3½'	5.00
4'	6.50

occidentalis wareana lutescens. *Golden Siberian Arborvitae—12'*

1½'	1.25
2'	1.75
2½'	2.50
3'	4.00
4'	5.50

INDEX—Your pet common name will be found
in the index in back of book.

THUJA—ContinuedEACHorientalis. *Oriental Arborvitae*—20'

2'	\$	1.35
3'		2.00
4'		3.25
5'		4.25
6'		6.50
7'		9.00
8'		12.00

orientalis aurea. *Golden Oriental Arborvitae*. Hardy Type—8'

1½'		2.00
2'		2.75
2½'		4.00
3'		5.00
4'		7.00
6'		12.50

orientalis nana aurea. *Berckmans Golden Arborvitae*—3'

15"		2.25
1½'		3.00
2'		4.25
2½'		6.00
3'		7.50

Hemlocks are favorites for their graceful beauty. They may be sheared for hedges but are best as specimens. Foliage extends from the ground to the very top.

TSUGAcanadensis. *Hemlock Spruce*—75'

1½'	\$	1.40
2'		1.75
2½'		2.75
3'		4.00
4'		5.50
5'		6.50
6'		9.50
7'		12.50
8'		18.00
10'		27.50

caroliniana. *Carolina Hemlock*—50'

2'		4.50
2½'		5.75
3'		7.50
4'		9.00
5'		12.00
6'		15.00

Evergreen ShrubsEACH**ARCTOSTAPHYLOS — uva-ursi. Bearberry**

One of our best ground cover plants—12"

6 to 9" spread, B & B	\$.90
9 to 12" spread, B & B		1.40

BUXUSsemperfirens arborescens. *Truetree Box*—6'

10 to 12", Bush, B & B (Per 10, \$5.50)	.70
12 to 15", Bush, B & B (Per 10, \$9.00)	1.10

12 to 15", Bush, B & B	
12 to 15", Bush, B & B	

12 to 15", Bush, B & B	
12 to 15", Bush, B & B	

12 to 15", Bush, B & B	
12 to 15", Bush, B & B	

12 to 15", Bush, B & B	
12 to 15", Bush, B & B	

EUONYMUSEACH

For other EUONYMUS see "Deciduous Shrubs."

patens (sieboldi). *Spreading Euonymus*—6'

1½ to 2'	\$.50
2 to 2½'	.70
2½ to 3'	.90
3 to 4'	1.25

radicans. *Wintercreeper*—Trailing

9 to 12"	.35
12 to 15"	.40
15 to 18"	.40
15 to 18"	.50

radicans acutus. *Sharpleaf Wintercreeper* Trailing

12 to 15"	.40
15 to 18"	.50
1½ to 2'	.65
2 to 2½'	.80
2½ to 3'	1.00

radicans argenteo-marginatus. (Variegata).

—*Silveredge Wintercreeper*—2'

12 to 15"	.40
15 to 18"	.50
1½ to 2'	.65
2 to 2½'	.80

radicans carrierei. *Glossy Wintercreeper*—3'

9 to 12"	.40
12 to 15"	.50
15 to 18"	.65
1½ to 2'	.80
2 to 2½'	1.00

radicans kewensis. *Baby Wintercreeper*

3" pots, Strong	.60
-----------------	-----

radicans vegetus. *Bigleaf Wintercreeper*—4'

9 to 12"	.35
12 to 15"	.40
15 to 18"	.50
1½ to 2'	.70
2 to 2½'	.90

2½ to 3'	1.25
----------	------

ILEX

glabra. *Inkberry*—5'

12 to 15", B & B	1.75
15 to 18", B & B	2.25
1½ to 2', B & B	3.25
2 to 2½', B & B	4.25

opaca. *American Holly*—20'

3 to 4', B & B	7.50
4 to 5', B & B	11.00
5 to 6', B & B	14.00
6 to 7', B & B	17.50

KALMIA—angustifolia. *Lambkill*—6'

12 to 18", B & B	2.00
1½ to 2', B & B	3.00
2 to 2½', B & B	4.25

latifolia. *Mountain-laurel*—7'

1½', B & B	2.75
2', B & B	3.50

LEUCOTHOE—catesbaei. *Drooping Leucothoe*

1½ to 2', B & B	2.50
2 to 3', B & B	3.50

B & B indicates Roots Balled and Burlapped

MAHONIA— <i>aquifolium</i> . <i>Oregon Hollygrape</i> —5'	EACH
12 to 15", B & B-----	\$ 1.00
15 to 18", B & B-----	1.25
1½ to 2', B & B-----	1.50
2 to 2½', B & B-----	2.00
2½ to 3', B & B-----	3.00
3 to 4', B & B-----	4.25
4 to 5', B & B-----	5.50
5 to 6', B & B-----	6.50

PACHYSANDRA — *terminalis*. *Japanese Spurge*—Evergreen ground cover—10"

2 years (Per 10, \$1.65; per 100, \$12.50)

PIERIS—*floribunda*. (*Andromeda floribunda*).
—*Mountain Andromeda*—3'

12 to 15", B & B-----	2.25
15 to 18", B & B-----	3.25
1½ to 2', B & B-----	4.25

PYRACANTHA—*coccinea lalandi*. (See Deciduous Shrubs.)

RHODODENDRON

catawbiense. Lavender Pink—6'

12 to 18"-----	2.50
1½ to 2'-----	3.50
2 to 3'-----	4.50

maximum. *Rosebay Rhododendron*—10'

12 to 18"-----	2.25
1½ to 2'-----	3.00
2 to 3'-----	4.00
3 to 4'-----	5.00

We find an increased demand for many ground covering plants and evergreen shrubs. Our collection of Euonymus is especially complete and useful in ground covering and combination plantings. You will find this class of plant splendid subjects for your landscape work.

Vines

ACTINIDIA—*arguta*. *Bower Actinidia* EACH

2 years -----	\$.50
3 years -----	.75

AKEBIA—*quinata*. *Fiveleaf Akebia*

2 years -----	.40
3 years -----	.60

AMPELOPSIS

quinquefolia. *Virginia Creeper*

2 years -----	.40
3 years -----	.60

quinquefolia engelmanni

2 years -----	.40
3 years -----	.60

tricuspidata (veitchi.)—*Boston Ivy*

2 years, medium-----	.35
2 years -----	.40
3 years -----	.60

ARISTOLOCHIA

sipho. *Dutchmanspipe*—Ours are grafted.

1½ to 2'-----	.75
2 to 3'-----	1.00

INDEX—Your pet common name will be found in the index in back of book.

BIGNONIA		EACH
grandiflora. <i>Chinese Trumpet creeper</i>		
2 years -----	\$.75	
radicans. <i>Trumpet creeper</i>		
2 years -----	.40	
3 years -----	.60	
CELASTRUS		
orbiculatus. <i>Oriental Bittersweet</i>		
2 years -----	.40	
3 years -----	.60	
4 years -----	1.00	
scandens. <i>American Bittersweet</i>		
2 years -----	.40	
3 years -----	.60	
CLEMATIS		
paniculata. <i>Sweet Autumn Clematis</i>		
2 years -----	.40	
3 years -----	.60	
hybrid Edouard Andre. Single bright red		
hybrid henryi. Single white-----	.75	
hybrid jackmani. Single-----	.75	
viticella alba. <i>Italian Clematis</i> —White		
3 years -----	.75	
HEDERA—helix. <i>English Ivy</i>		
1 year -----	.40	
2 years -----	.50	
LONICERA		
aureoreticulata. <i>Yellow net Japanese Honeysuckle</i>		
2 years -----	.40	
3 years -----	.60	
halleana. <i>Hall Japanese Honeysuckle</i>		
2 years -----	.35	
3 years -----	.50	
periclymenum belgica. <i>Dutch Woodbine</i>		
2 years -----	.60	
semperflorens. <i>Scarlet Trumpet Honey-suckle</i>		
2 years -----	.40	
3 years -----	.60	
LYCIUM—chinense. <i>Chinese Matrimonyvine</i>		
2 to 3'-----	.40	
3 to 4'-----	.60	
POLYGONUM—auberti. <i>China Fleecevine</i>		
2 years -----	.60	
SCHIZOPHRAGMA—hydrangeoides. <i>Japanese Hydrangea-vine</i>		
3" pots -----	.90	
VINCA—minor. <i>Periwinkle or Myrtle</i>		
Strong plants (Per 10, \$1.50; per 100, \$12.00)		
VITIS—cordifolia. <i>Frost or Winter Grape</i>		
2 years -----	.60	
3 years -----	.90	
WISTERIA		
frutescens magnifica. <i>Yelloweye Wisteria</i>		
—Blue		
2 years -----	.60	
3 years -----	1.00	
4 years -----	1.50	
sinensis. <i>Chinese purple Wisteria</i> (Grafted plants)		
2 years -----	.60	
3 years -----	1.00	
4 years, extra heavy-----	1.50	
sinensis alba. <i>Chinese White Wisteria</i>		
2 years -----	.75	
3 years -----	1.25	

Roses

ROSES

We add a number of thoroughly tested roses to our collection each year and at the same time eliminate a few of the least worth-while.

We endeavor to always have a very high class collection to meet all needs.

HYBRID TEA AND PERNETIANA

	EACH	
	EXTRA GRADE	"A" GRADE
Ami Quinard. Crimson on maroon-----	\$ 1.00	\$.75
Autumn. Burnt orange and red-----	.90	.60
Bedford Crimson. Deep crimson-----	.75	.50
Betty Uprichard. New. Orange-carmine-----	.60	.40
Briarcliff. An improved Columbia-----	.60	.40
Charles P. Kilham. Coral-red and orange-----	.75	.50
Dame Edith Helen. New. Pure pink-----	.60	.40
Director Rubio. Rose-pink. Large-----	1.00	.75
Duchess of Atholl. New. Vivid orange, flushed old rose-----	.75	.50
Duchess of York. New. Deep golden yellow, tangerine center-----	.75	.50
Edel. Beautiful new white-----	.60	.40
E. G. Hill. New. Massive blooms of deep maroon. Very fragrant -----	.75	.50
Elvira Aramayo. New. Flaming orange- carmine toned with salmon and pink. Cactus shape -----	.60	.40
Etoile de Feu. Bright orange-pink-----	.60	.40
Etoile de Hollande. New. Finest velvety- crimson -----	.75	.50
Gruss an Teplitz. Brilliant crimson-----	.60	.40
Irish Hope. Scarlet-----	.75	.50
Joanna Hill. New. Indian yellow center, surrounded by bold cream petals-----	.75	.50
John Henry. New. Deep rose-pink-----	.75	.50
John Russell. Rich crimson-scarlet, shaded black -----	.60	.40
Joyous Cavalier. Red. Very free bloomer	.90	.60
Jules Gaujard. Orange-rose-----	.75	.50
Kardinal Piffl. Orange-pink-----	.90	.60
Lady Margaret Stewart. New. Bright golden yellow, stained orange. Very popular -----	.75	.50
Laurent Carle. Brilliant, velvety carmine	.60	.40
Los Angeles. Flame pink-----	.60	.40
Margaret McGredy. Brilliant red petals on hinges of deep gold-----	.60	.40

GUARANTEE

Cole's "Extra" Grade Rose purchased from this catalogue is "Guaranteed to Grow." No strings attached. You simply report any loss, returning receipted order before August 1st, following purchase. We will make inspection of your plants and gladly replace at the next planting season.

Every "Extra" Grade Rose is specially inspected and selected as being—The Finest Plants Obtainable.

Cole's "A" Grade Rose is as fine as most "first quality" Roses. Because of the greatly Reduced Prices of our "A" Grade Roses we cannot guarantee them to grow.

	EXTRA GRADE	"A" GRADE EACH
ROSES H. T.—Continued		
Mevrow G. A. Van Rossem. New. Vivid orange and apricot buds. Flowers brownish yellow, shaded apricot pink	\$.75	\$.50
Miss Rowena Thom. Satiny pink, shaded orange-flame at center-----	.60	.40
Mme. Alexandre Dreux. Small, intensely yellow flowers; profuse-----	.60	.40
Mme. Butterfly. Bright pink, apricot and gold -----	.60	.40
Mme. Edouard Herriott. Coral red and yellow -----	.60	.40
Mme. Jules Bouche. White with primrose center -----	.60	.40
Mrs. Aaron Ward. Indian yellow-----	.60	.40
Mrs. A. R. Barraclough. New. Pink, tinted salmon -----	.60	.40
Mrs. Charles Bell. Soft shell pink and salmon -----	.60	.40
Mrs. Erskine Pembroke Thom. <i>Golden Pernet</i> . Deep golden yellow. Far superior to the famed Souv. de Claudio Pernet -----	.60	.40
Mrs. Henry Bowles. Dark, lustrous pink-----	.75	.50
Mrs. Henry Morse. Bright pink with silvery shadings -----	.75	.50
Mrs. Pierre S. duPont. Golden yellow---	1.00	.75
Norman Lambert. Copper-orange-----	.90	.60
Nuntius Pacelli. Fragrant white-----	.90	.60
Padre. Vivid copper-orange-----	.60	.40
Patience. New. Salmon-rose-----	.75	.50
Polly. Golden yellow flushed pink-----	.90	.60
President Herbert Hoover. New. Beautiful suffusion of maroon, orange, and gold -----	.75	.50
Radiance. Rosy carmine-----	.60	.40
Red Radiance. Rosy red-----	.60	.40
Rev. F. Page-Roberts. New. Golden-yellow stained copper on outside-----	.75	.50
Roslyn. Orange-yellow -----	.90	.60
Schwabenland. Rose-pink -----	.90	.60
Sir David Davis. Brilliant scarlet-crimson	.75	.50
Souvenir de Claudio Pernet. Discontinued in favor of Mrs. E. P. Thom, a much superior sort.		
Sunkist. Yellow -----	1.50	1.10
Syracuse. Red -----	.90	.60
Talisman. New. Golden yellow stained copper, orange and rose. An extremely popular novelty-----	.75	.50
Ville de Paris. New. Sunflower yellow--	.75	.50

GUARANTEE

Cole's "Extra" Grade Rose purchased from this catalogue is "Guaranteed to Grow." No strings attached. You simply report any loss, returning receipted order before August 1st, following purchase. We will make inspection of your plants and gladly replace at the next planting season.

Every "Extra" Grade Rose is specially inspected and selected as being—The Finest Plants Obtainable.

Cole's "A" Grade Rose is as fine as most "first quality" Roses. Because of the greatly Reduced Prices of our "A" Grade Roses we cannot guarantee them to grow.

ROSES—HYBRID PERPETUAL

		EXTRA GRADE	"A" GRADE EACH
Everest.	Ivory-white -----	\$.75	\$.50
Henry Nevard.	New. Crimson-scarlet-----	.75	.50
Mme. Albert Barbier.	New. Cream and Apricot -----	.60	.40
Pres. Briand.	New. Bright pink-----	.75	.50
Following varieties	-----	.60	.40
Frau Karl Druschki.	Pure white.		
General Jacqueminot.	Brilliant crimson.		
Marshall P. Wilder.	Bright red		
Mrs. John Laing.	Soft pink		
Paul Neyron.	Large pink		

POLYANTHA—2'

Chatillon.	Vivid salmon-pink -----	.60	.40
Cole's Pink Lafayette.	A light pink form of the well known Lafayette. Fine-----	.90	.60
Eblouissant.	Dazzling, rich, velvety crimson; cactus shape; dwarf and dense	.75	.50
Gloria Mundi.	Brilliant orange-scarlet-----	.60	.40
Golden Salmon.	New. Bright orange-salmon. A most worth-while novelty---	.60	.40
Ideal.	Brilliant red-----	.60	.40
Joseph Guy. (Lafayette.)	Striking cherry-crimson. Large flowers; free bloomer. New -----	.60	.40
Magnifique.	Shell pink-----	.90	.60
Marie Pavie.	White with rose center-----	.75	.50
Miss Edith Cavell.	Brilliant scarlet-----	.60	.40
Triomphe Orleanais.	Large crimson-----	.60	.40

HYBRID RUGOSA

Conrad F. Meyers.	Silvery pink-----	.60	.40
F. J. Grootendorst.	Crimson-----	.60	.40
Mme. Georges Bruant.	Double white-----	.60	.40
Max Graf.	Beautiful trailing type. Large shining, single, pink flowers; glossy foliage -----	.75	.50
Pink Grootendorst.	Double pink-----	.60	.40
Ruskin.	Large, double, fragrant; light pink -----	.60	.40

RUGOSA—5'

rubra—Single Red	-----	.60	.40
------------------	-------	-----	-----

Climbing and Rambler**HYBRID MULTIFLORA**

American Pillar.	Large, single rosy-pink-----	.50	\$.35
Crimson Rambler	-----	.50	.35
Roserie.	Pink Tausendschon -----	.60	.40
Tausendschon.	Large clustered light pink	.50	.35
Veilchenblau.	Blue rambler-----	.60	.40

HYBRID WICHURAIANA

Alida Lovett.	Bright shell-pink; large flowering -----	.60	.40
Aviateur Bleriot.	Saffron yellow-----	.60	.40
Bess Lovett.	Large, light crimson. Better than Climbing American Beauty-----	.60	.40
Blaze.	New. Everblooming Pauls Scarlet	2.00	
Chaplin's Pink Climber	-----	.60	.40
Climbing American Beauty.	Large pink	.50	.35

Cole's Guarantee is your assurance of the finest available Roses in your garden.

		EXTRA GRADE	"A" GRADE	EACH
HYBRID WICHURIANA—Continued				
Doctor Van Fleet. Double flesh pink	-----	\$.50	\$.35	
Dorothy Perkins. Pink	-----	.50	.35	
Excelsa. Crimson Dorothy Perkins	-----	.50	.35	
Gardenia. Yellow	-----	.50	.35	
Hiawatha. Red, yellow eye	-----	.60	.40	
Jacotte. Deep orange-apricot	-----	.75	.50	
Mme. Gregoire Staechelin. New. Crimson buds; large perfumed pink flowers	-----	.60	.40	
Mary Wallace. Large. Semi-double. Rose-pink with salmon	-----	.50	.35	
Paul's Scarlet Climber. New	-----	.50	.35	
Primrose. New. A true yellow rambler; hardier than other yellow sorts	-----	.50	.35	
Silver Moon. Large single white	-----	.60	.40	
The New Dawn. New. Ever-blooming Dr. Van Fleet	-----	1.50		
White Dorothy	-----	.50	.35	
AUSTRIAN BRIER				
Persian Yellow	-----	.60	.40	
HYBRID SWEET BRIER—5'				
Amy Robsart. Rose	-----	.60	.40	
Jeannie Deans. Scarlet	-----	.60	.40	
Lord Penzance. Faun or ecru	-----	.60	.40	
ROSA				
Blanda. <i>Meadow Rose</i> —4'				EACH
1 ½ to 2'	-----			\$.50
2 to 3'	-----			.75
Hugonis. <i>Golden Rose of China</i> —6'				
1 ½ to 2'	-----			.50
2 to 3'	-----			.75
Lucida. <i>Virginia Rose</i> . Light Pink flowers—6'				
1 ½ to 2'	-----			.50
2 to 3'	-----			.75
multiflora japonica. <i>Japanese Rose</i> . Single rose-pink—8'				
1 ½ '	-----			.40
2 to 3'	-----			.60
3 to 4'	-----			.80
Nitida. <i>Bristly Rose</i> —4'				
2 to 3'	-----			.75
Palustris (Carolina). <i>Swamp Rose</i> —5'				
1 ½ to 2'	-----			.50
2 to 3'	-----			.65
3 to 4'	-----			.80
Rubiginosa. <i>Sweet Brier</i>				
1 ½ to 2'	-----			.60
Rubrifolia. <i>Redleaf Rose</i> —5'				
3 to 4'	-----			.75
setigera. <i>Prairie Rose</i> . Deep pink. 6'				
1 ½ to 2'	-----			.40
2 to 3'	-----			.60
Wichuriana— <i>Memorial Rose</i> . Trailing				
3 years, No. 1	-----			.75
2 years No. 1	-----			.50
2 years, medium	-----			.40

INDEX—Your pet common name will be found in the index in back of book.

Perennial Plants

Items starred (*) are useful for rock garden planting.

ACHILLEA

	EACH
*boule de neige. <i>Improved Pearl</i> —2'	\$.20
*millefolium rosea. Purple. June to August, 2'	.15

*The Pearl. White. June to Aug.—2'	.15
------------------------------------	-----

*tomentosa. <i>Wooly Yarrow</i> . Yellow. June, 6-8"	.20
---------------------------------------------------------	-----

ACONITUM—fischeri. <i>Azure Monkshood</i> . Sept. 2½'	.25
----------------------------------------------------------	-----

*AETHIONEMA—persicum. <i>Stonecress</i> . Pink. June, July—9"	.25
------------------------------------------------------------------	-----

AGROSTEMMA—(See Lychnis).

*AJUGA—reptans rubra. <i>Carpet Bugle</i> . Blue. May—4"	.20
-------------------------------------------------------------	-----

*reptans alba. <i>White Carpet Bugle</i> . May—4"	.20
---------------------------------------------------	-----

ALTHAEA—6' rosea. <i>Hollyhock</i> . Single mixed	.20
------------------------------------------------------	-----

ANCHUSA—italica. Blue. June to Sept.—3'	.20
-----------------------------------------	-----

*mysotidiflora. Bright blue. May—1'	.25
-------------------------------------	-----

*ALYSSUM—argenteum. <i>Silver Alyssum</i> . Yel- low. July—15"	.20
-------------------------------------------------------------------	-----

*rostratum. <i>Yellowhead Alyssum</i> . Yellow. June and July—12"	.20
----------------------------------------------------------------------	-----

saxatile compactum. Yellow. May—1'	.20
------------------------------------	-----

*serpyllifolium. Dwarf, pale, yellow. May, 6"	.25
-----------------------------------------------	-----

ANEMONE

*hupehensis. <i>Early Anemone</i> . D w a r f. Mauve rose, Sept.—1'	.25
------------------------------------------------------------------------	-----

japonica alba. Large white. Fall—2½'	.25
--------------------------------------	-----

japonica Gente Blanche. D o u b l e white. Fall—2½'	.35
--------------------------------------------------------	-----

japonica Louise Uhink. Pure white. Early Fall—2½'	.35
------------------------------------------------------	-----

japonica Max Vogel. Double Rose. Fall, 2½'	.35
-----------------------------------------------	-----

japonica Queen Charlotte. Rose. F a l l, 2½'	.25
-------------------------------------------------	-----

japonica Rubra. Red. Fall—2½'	.25
-------------------------------	-----

japonica Whirlwind. Pure white. F a l l, 2½'	.25
-------------------------------------------------	-----

*pulsatilla. <i>European Pasqueflower</i> . Blue. April—15"	.20
----------------------------------------------------------------	-----

*pulsatilla rubra. <i>Red European Pasque- flower</i> . Dark red. April—12"	.20
---------------------------------------------------------------------------------	-----

ANTHEMIS

tinctoria. Yellow. July, Aug.—2'	.15
----------------------------------	-----

AQUILEGIA—(*Columbine*)

chrysanthia. Yellow. June—2½'	.20
-------------------------------	-----

*coerulea. Blue. June—1½'	.20
---------------------------	-----

Dobbie Imperial Hybrids. Mixed. L o n g spurred, June—2'	.25
-------------------------------------------------------------	-----

Farquhar's Pink—2½'	.20
---------------------	-----

hybrida flore pleno. Double flowering, 1½'	.25
--------------------------------------------	-----

jetschauii. Orange with red spurs. June—	.25
------------------------------------------	-----

Mrs. Scott Elliott. Long spurred hybrids, 3'	.20
-------------------------------------------------	-----

nivea grandiflora. White. June—2½'	.20
------------------------------------	-----

*ARABIS—alpine White. April and May—6"

.20

*ARENARIA—verna caespitosa. *Moss Sandwort*.

Green carpet; white flowers. June,

3" ----- .20

	EACH
ARMERIA—dianthoides. White. June—18"	\$.20
laucheana. Crimson. May and June—6"	.20
ARTEMESIA—lactiflora. White. August—4'	.15
Silver King. (New.) Silvery foliage—3'	.20
ASCLEPIAS—tuberosa. <i>Butterflyweed</i> —2'	.20
*ASPERULA odorata. <i>Sweet Woodruff</i> . White. May—6"	.25
ASTER	
Abindrothe. Rose. Fall—2½'	.25
*alpinus. <i>Rock Aster</i> . Blue. June, July—8"	.20
Anita Ballard. Lavender. Fall—4'	.15
Climax. Light lavender-blue—4'	.15
Delicate. Flush pink. September—4'	.25
Elta. Semi-double pale lilac—3'	.15
Emil Thaury. Violet. September—4 to 5'	.20
japonica. Double White. Late summer—2'	.20
*Mauve Cushion. Very dwarf. Delicate mauve, 1'	.20
Mons. Reddish violet. Fall—2'	.20
nova anglae. Purple. Sept. and Oct.—4'	.15
nova anglae roseum superbum. Deep rose, 4'	.20
Snow Queen. White—4'	.15
tataricus. Bright purple—6'	.15
White Lady. White. September—4'	.20
ASTILBE—2½'	
Amethyst. Purple. June—2'	.40
America. Violet rose	.40
Gloria Purpurea. Purple. June—2'	.40
Peachblossom. Peach pink	.40
Princess Mary. Pink. Good forcer. July, 2'	.40
Queen Alexandria. Bright pink	.40
*AUBRIETIA—deltoidia. Purple. April and May, 4"	.25
*deltoidia Eyrei. Rosy Lilac. April—5"	.25
*deltoidia Gracea. Violet. May—4"	.25
*deltoidia White Wall Gem. White. April, 5"	.25
BAPTISIA—australis. <i>False Indigo</i> . Dark blue. June—2'	.15
BOCCONIA—cordata. Creamy white. August, 6'	.20
BOLTONIA—asteroides. White September—6'	.15
latisquama. Pink. August—5'	.15
*CALAMINTHA—alpina. Purple. Summer, 6"	.20
CAMPANULA	
*carpatica. Blue. July and August—9"	.20
*carpatica alba. White. July and Aug.—9"	.20
*glomerata superba. Danesblood. Violet. June—2'	.25
*longestyla parviflora. Bluish-purple. June, 18"	.25
medium. Separate colors. June and July, 2½'	.20
medium calycanthema. Separate colors, 2½'	.20
persicifolia. Blue. June to July—2'	.20
persicifolia. White. June to July	.20
*rotundifolia. <i>Harebell</i> . Blue. June and July, 1'	.25
*CENTAUREA—montana. <i>Mountain Bluet</i> .	
Blue. June and July—1½'	.15
June and July—1½'	.15
*rigidifolia rosea. Pink. July—18"	.25
CENTRANTHUS ruber. Red. Summer. 3'	.20
*CERASTIUM—tomentosum. White—6"	.20

***CERATOSTIGMA** — *plumbaginoides*. Dwarf, EACH
deep blue. September and October, 6" \$.20
CHELONE—*lyoni*. Rosy purple. August—2'— .20

CHRYSANTHEMUM

Following varieties
(except noted)
Each 20c

- Adironda. Bronze and orange-yellow. Early.
Pompom—2'.
- Alice Howell. Old gold. Early. Single—2'
- Autumn Glow. Rosy-red. Late mid-season. Large.
Very hardy—3'.
- Ball of Snow. Pure white. Dwarf. Mid-season.
Pompom—1½'.
- Barbara Cummings. Yellow. Very early. Add 3c
each.
- Boston. Bronzy-red. Late mid-season. Large—2'
- Brune Poitevine. Velvety ox-blood red, suffused
bronze. Midseason. Large—2'.
- Capt. R. H. Cook. Clear deep rose. Midseason.
- Edina. Salmon-rose. Early. Pompom—2'
- Eva. Dwarf, deep pink. Early. Large—1½'
- Frances Whittlesey. Bronze and garnet.
Midseason. Add 5c each.
- Globe d'Or. Plant ball-shaped. Clear canary-yellow.
Mid-season. Aster—1½'.
- Golden Queen. Golden-yellow. Hardy. Mid-season
Large—3'.
- Gypsy Girl. Bronze. Midseason. Large—2'
- Harvest Home. Golden-yellow. Mid-season. Large,
2'.
- Irene. Snow white. Mid-season. Pompom—3'
- L'Argentuillais. Chestnut-brown. Very early.
Decorative—2½'.
- Little Bob. Brownish red. Hardy. Late mid-sea-
son. Button—2'.
- Metzi. Yellow with red center. Hardy. Mid-sea-
son. Button—2'.
- Mrs. Albert Phillips. Single lavender-pink. Mid-
season—2½'.
- Mrs. Birchard. Light pink. Mid-season. Large—3'
- Mrs. Calvin Coolidge. Single scarlet. Mid-season.
Add 3c each.
- Mrs. Frances Bergen. Creamy-white, shaded lav-
ender. Mid-season. Large—2½'.
- Mrs. H. Harrison. Light rose-pink. Hardy. Mid-
season. Pompom—2½'.
- Mrs. J. W. Martin. New striking orange-rose.
Large—2'. 5c each additional.
- Normandie. Golden. Large, early—2'
- Oconto. Pure white. Midseason.
- October Girl. New pink shaded lavender. Mid-
season—2½'. Large. 3c each additional.
- Old Homestead. Rose pink. Large. Late mid-
season. Hardy—3'.
- Ouray. Rich, dark mahogany brown. Hardy.
Mid-season. Pompom—2'.
- Petite Louise. Shaggy pale pink. Very early.
Large—2'.
- Provence. Pale pink with yellow center. Early.
Large. Hardy—2'.
- Rose Trevenna. Rose-pink, button. Midseason.
- Ruth Cumming. Soft bronzy tones. Mid-season.
Large—2½'. 3c each additional.
- Ruth Hatton. New. Ivory-white shaded lemon.
Mid-season. Large—2½'. 3c each additional.

CHRYSANTHEMUM—Continued

Skibo. Early bronzy yellow. Button. Hardy—2'
White Doty—Pure white. Large. Mid-season—3'
Zelia. Striking orange. Large. Mid-season—2½'

CHRYSANTHEMUM

EACH

*arcticum. <i>Arctic Daisy</i> . White, tinged lilac.	
Sept.—2'	\$.20
atrosanguinum. <i>Red Pyrethrum</i> . May, June, 1'	.25
coccineum. <i>Pyrethrum roseum</i> . <i>Painted Daisy</i> . Pink to red. May and June, 2½'	.20
coreanum. <i>Korean Chrysanthemum</i> . Blush.	
Oct.-Nov.—3'	.20
maximum. <i>Shasta Daisy</i> . White. July to Oct.—2'	.15
maximum Etoile de Or. New. Large flower- ing English type. Summer—2'	.25
*maximum Glory of Wayside. Small flower- ed. White. May	.20
maximum Mrs. C. Lothian Bell. Very large. White. June to August—20"	.20
maximum Sutton's May Queen. Very early. May be cut for May 30th	.15
*CONVALLARIA—majalis. <i>Lily of the Valley</i> . April—9". 1 year clumps	.20

COREOPSIS

lanceolata. Golden yellow. Summer—2'	.15
*verticillata. Dwarf, lemon yellow. June to September—2'	.20

*CRUCIANELLA Stylosa. *Crosswort*. Crimson.
July—8"

.20

DELPHINIUM

Belladonna. Sky blue. June to Sept.—4'	.15
Bellamosa. Dark blue. June to Sept.—4'	.20
Blackmore & Langdon's hybrids. Various colors. July—4'	.20

DIANTHUS

*allwoodi alpinus. Pink. July—1'	.25
alpestris knappi. Yellow. July and Aug.—1'	.20
barbatus. <i>Sweet William</i> . Separate colors. Red, white and pink. May and June, 1½"	.15
*caesius. <i>Cheddar Pink</i> . Rose. June-July, 9"	.20
*Crimson King. Bright crimson. July and August. Good for cutting—8-12"	.25
*cruentes. Crimson. June and July—9"	.25
*deltoides. <i>Maiden Pink</i> . Crimson flowers. June and July	.20
deltoides. Major Stearns Variety. Crimson. June—9"	.20
*Furst Bismark. Deep rose. July and later, 6 to 8"	.25
*latifolius. Double deep crimson. All summer	.15
plumarius. Double Dwarf Ewfert. June, July—9"	.20
*plumarius semperflorens. <i>Scotch Pink</i> . Mixed. June and July—8"	.15

OLD-FASHIONED GRANDMOTHER'S SWEET
PINKS

*Abbotsford. Deep crimson, white markings	.25
*Her Majesty. Large. Pure white	.25
*Ipswich Crimson. Crimson. June—9"	.25
Sweet Wivelsfield. Mixed colors. All sum- mer—12"	.30

*DICENTRA—eximea.	<i>Fringed bleeding heart.</i>	EACH
All summer—12"	-----	\$.20
spectabilis. <i>Bleeding Heart.</i> May, June, 2'	-----	.35
DICTAMNUS—albus.	<i>Gasplant.</i> White.	June,
2'	-----	.25
albus ruber.	<i>Purple Gasplant.</i> Red.	June,
2'	-----	.25
DIGITALIS— <i>Foxglove.</i> gloxinaeflora.	R o s e ,	
white and purple; separate colors.	June,	
July—2½'	-----	.15
Giant Shirley. A recent introduction far sur-		
passing the older types.	June, July,	
3½'	-----	.20
grandiflora. Yellow mid-summer—3'	-----	.20
DORONICUM— <i>plantagineum excelsum.</i>	<i>Showy</i>	
<i>Leopardbane.</i> Yellow flowers 2½"		
across. May and June—2'	-----	.25
ECHINACEA, purpurea.	<i>Rudbeckia purpurea.</i>	
<i>Purple-cone flower.</i> July, Aug.—3'	---	.20
ECHINOPS—ritro.	Steel blue.	July—3'
ERIGERON—macranthus.	Violet.	June—2'
speciosus hybrida grandiflora.	Rosy lilac.	
June and July—3'	-----	.25
ERYNGIUM—amethystinum.	<i>Thistle.</i> Blue.	
Aug.—2'	-----	.25
planum. Steel blue. July to Sept.—2'	-----	.20
EULALIA—(See <i>Misanthus</i>)		
*EUPATORIUM—coelestinum.	Blue.	Septem-
ber and October—2'	-----	.15
EUPHORBIA—corallata.	<i>Flowering Spurge.</i>	
Pure white in good sized umbels. June		
to August—18"	-----	.20
*cyperissias.	Yellow. May—2 to 3". Good	
for rockery	-----	.25
*FESTUCA—glauca.	<i>Blue Fescue Grass.</i> Fine	
bluish grass—12"	-----	.20
FILAPENDULA		
*hexapetala.	<i>Dropwort.</i> White.	June and
July—1½'	-----	.25
*palmata.	<i>Crimson Meadow Sweet.</i> June,	
July—1½'	-----	.30
ulmaria plena.	<i>Double European Meadow-</i>	
sweet.	<i>White.</i> June—3'	
FUNKIA—(See <i>Hosta</i>).		.20
GAILLARDIA		
aristata (grandiflora).	<i>Blanket Flower.</i>	
Yellow and crimson. All summer—2'	--	.15
aristata.	The Dazzler. Brilliant red, all	
summer—2'	-----	.20
*GERANIUM—sanguineum.	Attractive flowers	
and good foliage all summer.		
Red.		
July—2'	-----	.30
*GEUM—Lady Stratheden.	Orange, all sum-	
mer—15"	-----	.25
Mrs. Bradshaw.	Ruffled scarlet flowers.	
All summer—15"	-----	.20
*GLOBULARIA cordifolia.	Blue. June. 8"	--
GYPSOPHILA—acutifolia.	<i>Green Gypsophila.</i>	
Pink. July—1'	-----	.20
paniculata.	<i>Baby's Breath.</i> White.	June
July—2'	-----	.15
paniculata Bristol Fairy.	Fine double white	
Baby Breath.	June and July—30"	--
*repens.	<i>Creeping Gypsophila.</i> White and	
pink. July and August-----		.35
		.25

HELENIUM—Sneezeweed	EACH
Riverton Gem. Old gold. Sept. and Oct.—3'	\$.25
* HELANTHEMUM—mutable. <i>Sunnrose.</i>	
Golden yellow—1'	.20
*Buttercup. Single yellow-----	.25
*Fireball. Double scarlet-----	.25
*Ruby. Blood Red—10"	.25
HELIANTHUS—Hardy Sunflower.	
maximiliani. <i>Western Sunflower.</i> Sept.—7'	.15
Miss Mellish. Large single yellow. September, 4'	.25
HELIOPSIS—pitcheriana. Orange. June to August—3'	.20
HEMEROCALLIS—Yellow Day Lily.	
aurantiaca. Orange shaded brown. July, 2½' -----	.20
flava. Lemon yellow. June—2½'-----	.20
florham. Large golden yellow. July—3'-----	.30
kwanzo fl. pl. Double orange. July—2½'-----	.25
minor. Dwarf lemon yellow. First of June, 2' -----	.20
thunbergi. Lemon yellow. July—2½'-----	.20
HEUCHERA	
*brizoides. <i>Pinkbells.</i> Pale pink. May—1½'	.25
*hybrida. Various shades rose and pink. July and August—18"-----	.25
*sanguinea. <i>Coralbells.</i> June to August—1'	.20
*sanguinea rosemondi. Coral pink. June, July—1½' -----	.35
HIBISCUS—Mallow Marvels—5'	
Crimson Eye. White, crimson center. Aug. and Sept. -----	.20
Pink. August and September-----	.20
Red. August and September-----	.20
Mixed -----	.15
coccineus. <i>Scarlet Rosemallow.</i> Deep red. Finely cut foliage. August—6'-----	.30
HOSTA	
coerulea. Large flowered blue. July—2'-----	.20
*lancifolia. <i>Plantain Lily.</i> Lilac. July—2'	.15
plantaginea. <i>White Day Lily.</i> Fragrant, 1½' -----	.20
undulata variegata. White and green fol- iage—1½' -----	.20
* HYPERICUM fragile. Yellow. July and Aug., 12" -----	.20
IRIS—kaempferi. Japanese Iris. July—3'	
Astarte. Violet. 6 petaled-----	.25
Crimson Tuft. Reddish purple. 3 petaled-----	.35
Double Blue Bell. Beautiful deep blue. Late 6 petaled-----	.25
Gekka-no-nami. Early. Choice white-----	.35
Gold Bound. Creamy white, orange center. Early 6 petaled-----	.25
Hercule. Lilac blue. 6 petaled-----	.35
Iphigenie. Beautiful Rose. 6 petaled-----	.35
Kamochi-guma. Dark purplish indigo. Mid- season 6 petaled-----	.25
Mahogany. Velvety mahogany red. Mid- season, 6 petaled-----	.25
Patrocle. Violet. 3 petaled-----	.35
Purple and Gold. Rich violet purple. Mid- season, 6 petaled-----	.25
Sky-no-ryo. Blue and white. 6 petaled-----	.35
Tokio. Three petaled white-----	.30

IRIS—*germanica*. *German Iris*. May-June, EACH
 1½ to 3'.

S, standards; F, falls	
Alcazar. S, soft blue; F, deep, brilliant purple	\$.20
Caprice. Clear cerise	.15
Florentina Alba. Creamy white	.15
Isoline. S, silvery-rose, flushed bronze; F, mauve, shot with gold	.25
King. S, clear yellow; F, rich maroon	.20
Lohengrin. Soft cattleya-rose. Very large	.15
Madame Chereau. White, fringed blue	.15
Monsignor. S, satiny violet; F, purple-crimson	.15
Mrs. H. Darwin. White	.15
Pallida Albert Victor. Soft blue. Fine	.20
Pallida Dalmatica. Clear lavender blue	.15
Princess Victoria Louise. S, sulphur-white; F, rich plum	.15
Queen of the May. Soft rosy-lilac	.15
Rhein Nixe. S, pure white; F, deep violet blue with white edge	.15
Sherwin Wright. Solid golden yellow	.20
Mixed ----- (Per 10, \$1.00)	.12

IRIS—*germanica*—Continued. Choice
 new varieties

Ambassadeur—

9.4 S, velvety purple; F, velvety purple-maroon. Tall ----- \$.25

Asia—

8.9 S, soft blue; F, brilliant purple. Tall ----- .40

Ballerine—

9.0 S, Light violet blue; F, deeper

Gold Imperial—

8.6 Chrome yellow, orange beard-- .25

Lent A. Williamson—

9.6 S, bright lobelia-blue; F, velvety pansy-violet ----- .25

Lord of June—

9.1 S, lavender-blue; F, deep aniline-blue ----- .25

Opera—

8.2 S, reddish-lilac; F, dark velvety purple-violet ----- .25

Queen Caterina—

9.1 Pale lavender-violet. Very large flowers ----- .25

Shekinah—

8.4 Clear soft yellow. Extra----- .25

Souv. de Mme. Gaudichau—

9.3 Very rich deep velvety purple. Tall ----- .30

IRIS—*sibirica*

aurea. Intense yellow novelty. June—2½' .25

Purple blue. June—3' ----- .15

Snow Queen. White. June—3' ----- .20

IBERIS

*semperfirens. White. May and June—10" .20

*INCARVILLEA—delavayi. Rosy purple. June, July—2' ----- .35

Varieties preceded by (*) are suitable for Rock Gardens.

	EACH
INULA—hirta. <i>Fleabane</i> . Yellow. July and August—12"	\$.25
KNIPHOFIA—uvaria grandis. Tritoma pfitzeri. <i>Red Hot Poker</i> . July to Sept.—3'	.25
Perry's Hardy Hybrids. Yellow to red. July to Sept.—3"	.20
LATHYRUS—latifolius. <i>Perennial Pea</i> —2½'	
Pink. June and July-----	.20
Red. June and July-----	.20
White Pearl. June and July-----	.20
*LAVANDULA—officinalis. <i>True Sweet Lavender</i> . July and Aug.—1½'	.20
*LEONTOPODIUM—alpinum. Edelweiss. Yellow, summer—5"	.20
LIATRIS—pycnostachya. <i>Gayfeather</i> . Aug.—Sept.—4'	.15
scariosa. Purple. August—2"	.20
LILIUM—auratum. <i>Gold Band Lily</i> —3'	.35
canadense. Yellow to red. June to Aug., 4"	.25
candidum. <i>Madonna Lily</i> . June. 3"	.35
henryi. Apricot yellow. 4"	.40
regale. White. August—5'	
6 to 7" circumference-----	.30
5 to 6" circumference-----	.25
4 to 5" circumference-----	.20
3 to 4" circumference-----	.10
Smaller sizes for lining out quoted on request	
speciosum rubrum. White, speckled crimson. August -----	.45
superbum. Orange. July and August—6'	.20
tigrinum fl. pl. <i>Double Tiger</i> . Orange spotted. August—4"	.25
*tuenifolium. Bright scarlet. June—18"	.30
umbellatum grandiflorum. Orange-red. July—2"	.30
LIMONIUM—	
latifolium. <i>Sea Lavender</i> . Blue. July and August—2"	.20
*LINUM—perenne. <i>Flax</i> . Blue flowers, all summer—1½'	.20
LOBELIA—cardinalis. <i>Cardinal flower</i> . Scarlet. August and Sept.—2½'	.20
siphilitica. <i>Blue Lobelia</i> . Blue. July to September—3"	.25
LYCHNIS	
chalcedonica. <i>Maltese Cross</i> . Scarlet. July, 2"	.20
coronaria. Crimson. June—2"	.20
*flos cuculi. <i>Ragged Robin</i> . May—1½"	.25
*viscaria spl. fl. pl. Red. June—12"	.25
*MATRICARIA—capensis. <i>False camomile</i> .	
Double white, summer—12"	.20
white, summer—12"	.20
eximia nana fl. pl. Dwarf, golden yellow--	.25
MISCANTHUS	
sinensis gracillimus. <i>Hardy plume grass</i> . Green—6'	.20
sinensis variegatus. <i>White striped plume grass</i> —5'	.20
sinensis zebrinus. <i>Zebra striped plume grass</i> —5'	.20
*MITCHELLA—repens. <i>Partridgeberry</i> . White shaded pink. March—4"	.20

The size immediately following the description indicates approximate height at maturity.

MONARDA—2½'	EACH
didyma. Cambridge Scarlet. Aug. to Sept.—\$.20	
MYOSOTIS	
*alpestris. Blue. All summer—10" ----- .20	
*palustric. Forget-Me-Not. Blue. April and May—8" ----- .20	
*palustris. Pink Beauty. Pink flower. All summer—6" ----- .25	
*palustris semperflorens. Everblooming Forget-me-not. Blue. All summer—6" ----- .20	
*NEPETA—mussini. Blue. June, July—1' ----- .20	
OENOTHERA	
*missouriensis. Ozark Sundrops. Large yellow. June to Aug.—10" ----- .20	
youngi. Evening Primrose. Yellow, June, July, August—1½' ----- .25	
PAPAVER—Poppy	
*bracteatum. Orange-scarlet. June—2' ----- .20	
*nudicale. Orange, yellow or white. All summer—1' ----- .20	
orientale. Orange scarlet. June—2½' ----- .20	
orientale Beauty of Livermere. Deep red. ----- .30	
orientale Grand Mogul. Dark red with large blotches ----- .30	
orientale Mrs. Perry. Orange-apricot ----- .25	
orientale Perry's White. Satiny white ----- .35	
*PARDANTHUS chinense. Blackberry Lily. Orange, July. 2' ----- .25	
PENTSTEMON—barbatus torreyi. Coral red. July and August—3' ----- .20	
Coral Gem. Coral pink—2½' ----- .25	
PHYSALIS—francheti. Chinese Lantern Plant. Red lanterns. Oct.—2' ----- .20	

PEONIES

Cole's Peony Collection comprises two hundred and fifty (250) varieties. By continual study and observation we have procured this enviable collection. We continually stress quality, and with this in mind we eliminate each year ten to fifteen of the least desirous varieties and add as many new ones for testing. You can see you will be sure of receiving a worthwhile variety—no matter which one you order.

Disease-free plants are necessary for continued bloom and success. Cole does not hesitate to discard any plant showing the slightest sign of disease.

Let us quote you on any varieties required.

Chinese Varieties

Rating	EACH
8.6 Albert Crousse. Light rose-pink; late-----	\$.50
7.8 Augustin d'hour. Deep solferino red. Mid-season -----	.50
8.0 Boule de Neige. White, early midseason-----	.40
8.1 Couronne d'Or. White, light yellow center; late -----	.40
8.4 Felix Crousse. Brilliant crimson; late mid-season -----	.50
9.3 Festiva Maxima. White; early-----	.40

CHINESE VARIETIES—Continued

		EACH
8.5	Germaine Bigot. Light rose-pink; midseason	\$.50
8.9	Jubilee. Pure white; midseason	.75
8.8	Karl Rosenfield. Bright crimson; mid-season	.60
8.1	Livingstone. Old-rose-pink; late	.50
7.8	Lord Kitchener. Brilliant red; midseason	.60
7.8	Marquis C. Lagergren. Red; midseason	.60
7.9	Mme. Ducel. Pale old rose; midseason	.50
8.5	Mme. Emile Galle. Light rose-pink to lavender; late	.40
9.2	Mons. Jules Elie. Light rose-pink; early	.60
8.8	Primvere. Canary-yellow; mid-season	1.00
8.7	Reine Hortense. (Syn. Pres. Taft). Rose-pink; mid-season	.60
7.2	Rubra Superba. Bright crimson; very late	.40
9.0	Sarah Bernhardt. Dark rose-pink; late	.60
9.8	Therese. Translucent old-rose-pink; mid-season	1.00
9.3	Walter Faxon. Shell pink; late	1.00
	Red	.30
	White	.25
	Pink	.25
	Mixed	.25

Japanese and Single Varieties

7.3	Mistral. Single carmine; midseason	1.00
	Othello. Crimson; early	1.50

PHLOX—paniculata. Aug., Sept

Africa.	Carmine-red, blood red eye—2'	.30
Athis.	Salmon pink—3'	.20
B. Compte.	Deep rich ox-blood red. Fine 2½'	.25
Beacon.	Brilliant cherry-red—3'	.20
Bridesmaid.	White with carmine eye, 2'	.20
Commander.	Deep crimson-red, darker eye, 2'	.25
Crespuscule.	Rose lilac, tinged white. Extra—2½'	.20
Deutschland.	Dark carmine—3½'	.25
Eclaireur.	Brilliant rosy magenta. White eye—2½'	.20
Enchantress.	Salmon pink; dark eye—3'	.30
Ethel Pritchard.	New. Delightful French-mauve—2½'	.25
Europe.	White, crimson eye—2½'	.25
Fuerbrand.	<i>Fireglow</i> . New. Most brilliant orange-scarlet—2'	.25
General van Heutz.	Bright scarlet—2'	.20
Graf Zeppelin.	White with red eye—2½'	.20
Jules Sandeau.	Pure pink. Dwarf. Mammoth flowers—2'	.25
Lassburg.	Fine white—3'	.20
Marechal French.	Deep scarlet with blood red eye, 2'	.20
Mia Ruys.	New. Globe shape plant entirely covered with the purest white bloom. A wonderful introduction—1½'	.25
Miss Lingard.	Early waxy white—3'	.20
Mrs. Milly von Hoboken.	New. Most beautiful soft pink. Very large flower heads, 2½'	.20

PHLOX—paniculata—Continued	EACH
Mrs. Scholten. New. Mammoth; dark salmon-pink. Beautiful—2½' -----	\$.20
Nicholas Flammell. New red with crimson eye—2½' -----	.25
Rheinlander. Salmon-pink, claret eye. Fine—2' -----	.20
R. P. Struthers. Rosy carmine, claret eye, 2½' -----	.20
Rynstroom. Pink; very large—2½' -----	.20
Special French. Glowing pink. Mammoth trusses—3' -----	.20
Thor. Deep salmon-pink; small aniline-red eye—2' -----	.20
Von Hochberg. Dark red—2½' -----	.25
Widar. Light reddish-violet, white eye. Novelty—2½' -----	.20
PHLOX—Creeping Varieties	
*amoena. Ground cover. Bright pink—4"-----	.20
*subulata Fairy. Blue, purple eye. April, 4"-----	.20
*subulata G. F. Wilson. Lilac. May, 6"-----	.25
*subulata lilacina. Pale blue. May—3"-----	.20
*subulata rosea and alba. Ground cover—4"-----	.20
*subulata vivid. Bright pink, red eye. April—4"-----	.25
PHYSOSTEGIA	
virginiana. Pink. August—3'-----	.20
virginiana alba. White. August—3'-----	.20
virginiana Vivid. Deep pink. August—18"-----	.20
PLATYCODON—Balloon flower	
grandiflorum. Blue. July to October—2'-----	.20
PLUMBAGO—larpentae. (See Ceratostigma.)	
POLEMONIUM—coeruleum album. White.	
June and July—18"-----	.20
coeruleum Prima Donna. Lilac. June and July—18"-----	.25
*humile (Richardsoni). Sky blue. May and June—6"-----	.25
*PRIMULA auricule. Mixed colors. April and May—1'-----	.25
elatior. <i>Oxlip primrose</i> . Mixed shades. Late spring—6"-----	.25
Munstead. Red, Yellow, Cream. Separate colors. Late spring—9"-----	.20
veris. Yellow. June and July—6"-----	.20
PRUNELLA—grandiflora. <i>Great Selfheal</i> . Violet. Summer—8"-----	.20
PYRETHRUM—(See Chrysanthemum).	
*RANUNCULUS—repens fl. pl. Creeping Double Buttercup. May and June, 10"---	.20
RUDBECKIA	
laciniata. <i>Golden Glow</i> . Double yellow. August and September—5'-----	.15
purpurea—(See Echinacea.)	
speciosa. Newmanni—Showy Coneflower. July, August—2½' -----	.20
SALVIA	
azurea. Sky blue. Aug. and Sept.—4'-----	.20
azurea grandiflora—pitcheri. Rich gentian blue. August and September—4'-----	.25
*SAXIFRAGA—megasia hybrida. Rose and pink. April and May—12"-----	.25
decipiens. White. May, June—4"-----	.35

	EACH
SCABIOSA	
caucasica. Lavender. All summer—1½'--\$.20
japonica. Lavender blue. July to September—1½' -----	.20
SEDUM	
*acre. Yellow. June and July—3"-----	.15
*aizoon. Golden yellow. July and Aug., 10"	.20
*album. White. July—4"-----	.20
*alpinatum. Waxy leaf. Compact—3"-----	.25
*dasyphyllum. New. Thick-set glossy bluish-gray beads; very dwarf and extremely attractive—2"-----	.25
*ewersi. Pink. July—6"-----	.20
*glaucum. Blue foliage—2"-----	.20
*kamschaticum. Yellow. July—6"-----	.20
*pruniatum fosterianum. New yellow, glossy bluish foliage attaining gorgeous autumn colorings—3" -----	.30
*rupestre. Yellow. Fine leaves in whorls, 6" -----	.20
*sarmentosum. Yellow. July—3"-----	.20
*sexangulare. Yellow. June, July—6"-----	.20
*sieboldi. Pink. Round blue foliage. Aug. and Sept.—8" -----	.20
*spectabile. Rose colored. August and September—1½' -----	.15
*spectabile brilliant. Crimson. August and September—1½' -----	.20
*stoloniferum coccineum. Crimson. July and August—6" -----	.20
SEMPERVIVUM. Houseleek. -----	.20
*brauni. Bronze-tipped red—6"	
*doellianum. Green, tipped red—6"	
*fauconette. Bronze tipped pink—6"	
*funcki. Brown, green tipped—6"	
*globiferum. <i>Globe Houseleek.</i> Yellow flower; gray-green leaf—10"	
tectorum. Leaf green tipped brown. Flower red—12"	
SIDALCEA —Rose Queen. <i>Prairie Mallow.</i>	
Rose-pink. July—3½' -----	.20
*SILENE —schafta. <i>Catchfly.</i> Pink. July—6"	.20
SPIREA —(See <i>Filapendula.</i>)	
STATICE —latifolia. (See <i>Limonium.</i>)	
STOKESIA —laevis— <i>Cyanea.</i> Blue. August and September—2' -----	.20
*THALICTRUM —adiantifolium. White. June, 1' -----	.20
*THYMUS —azoricus. Beautiful new variety—	.25
*lanuginosus. <i>Wooly Thyme.</i> Rosy-purple. June, July—6" -----	.20
*serpyllum. Lilac. June and July—4"-----	.20
*serpyllum coccineus. <i>Crimson Thyme</i> —4"-----	.20
*vulgaris. <i>Lemon Thyme</i> —8"-----	.20
TRADISCANTHIA —virginica. Blue. All summer—2' -----	.20
TRILLIUM —grandiflorum. Pure white. May, 1' -----	.20
TRITOMA —pfizeri. (See <i>Kniphofia.</i>)	
TROLLIUS —europeus. Yellow. July and Aug. 1½' -----	.25
*TUNICA —saxifraga. Light pink. June, July, 6" -----	.20
VALERIANA —coccinea. (See <i>Centranthus.</i>)	
officinalis. <i>Hardy Heliotrope.</i> White tinted rose. June and July—3'-----	.20

*VERONICA—amethystina. Gentian-blue. June,	<u>EACH</u>
July—12"	\$.20
*gentianoides. Pale blue. June—1'	.20
*incana. White foliage. Blue flowers.	
July and August—1'	.20
*longifolia subsessilis. Blue. Aug. to Oct.,	
2'	.20
*rupestris flexuosa. Creeping. Blue. May,	
2"	.20
*spicata. Blue. June to August—2'	.20
*teucrium. <i>Hungarian Speedwell</i> . Gentian	
blue, June—12"	.20
VIOLA—Cornuta. <i>Tufted Pansy</i> . May to Octo-	
ber—6"	
*cornuta admiration. Dark blue-----	.20
*cornuta Scotch Border. A superb mixture--	.20
*cornuta Sutton's Apricot. Bronze and yel-	
low -----	.20
*cornuta Paapilio. Violet. All summer—6"—	.20
*Jersey Gem. Pure, rich violet—6"	.20
odorata Double English. Sweet scented,	
blue -----	.40
odorata Gov. Herrick. Blue. May—6"	.25
odorata Princess of Wales. Sweet-scented	
English violet—8" -----	.15
YUCCA—filamentosa. White. June and July—7'	
2 years -----	.20
3 years -----	.30
*filamentosa variegata. Same as the above but	
with foliage margined creamy white-----	.25

GLADIOLUS

(FIRST SIZE BULBS)

(For 25 or more Bulbs deduct 1c each)

PLAIN-PETALED GLADIOLUS—	<u>EACH</u>
Albania. Lily-like, pure white-----	\$.04
B. L. Smith. Orchid pink; cream throat-----	.05
Crimson Glow. Crimson-scarlet-----	.04
Elizabeth Tabor. Salmon pink with red	
blotch on lower petals-----	.04
Evelyn Kirtland. Rose pink; shell pink in	
throat. Scarlet blotches-----	.04
Giant Nymph. Light rose pink; cream	
yellow throat -----	.04
Gold Eagle. Clear yellow. Early-----	.04
Golden Dream. Soft clear yellow. Tall-----	.05
Gretchen Zang. Soft pink-----	.04
Herada. Pure mauve -----	.04
L'Immaculee. Pure white. Long spikes-----	.04
Le Marechal Foch. Light pink-----	.04
Mrs. Dr. Norton. Dainty combination of	
white, soft pink, and primrose yellow----	.05
Mrs. Frank Pendleton Jr. Salmon pink	
with blood red blotch-----	.04
Mrs. Leon Douglas. Rose pink; striped	
flame and scarlet. Very large-----	.05
Mrs. P. W. Sisson. Light pink. Tall-----	.05
Nancy Hanks. Apricot shading to pink	
with red markings-----	.05
Scarlet Princeps. Fine scarlet-----	.04
Violet Beauty. Cerise violet. Tall-----	.05
W. H. Phipps. Iridescent pink shading to	
salmon rose -----	.05

PRIMULINUS GLADIOLUS—	EACH
Alice Tiplady. Burnt-orange yellow-----	\$.04
RUFFLED GLADIOLUS—	
E. J. Shaylor. Deep rose-pink-----	.04
Fern Kyle. Beautifully ruffled, ivory-white---	.05
Joe Coleman. Vivid cardinal-red-----	.05
MIXED GLADIOLUS—	
A grand mixture made from selected named varieties -----	.03

DAHLIAS

DECORATIVE TYPE—	EACH
Jane Cowl. Massive bronzy-buff-----	\$.35
Jersey Beauty. Large double pink-----	.25
Sagamore. Golden yellow shaded salmon..	.35

GUARANTEE

Cole's "Extra" Grade Rose purchased from this catalogue is "Guaranteed to Grow." No strings attached. You simply report any loss, returning receipted order before August 1st, following purchase. We will make inspection of your plants and gladly replace at the next planting season.

Every "Extra" Grade Rose is specially inspected and selected as being—The Finest Plants Obtainable.

Cole's "A" Grade Rose is as fine as most "first quality" Roses. Because of the greatly Reduced Prices of our "A" Grade Roses we cannot guarantee them to grow.

**Ask for our Special Folder on Superior
REGISTERED Black Raspberries.**

Customers are usually pleasantly surprised to find that their plants are much larger and stronger than they expected.

We reserve the privilege of making an additional charge for trees of special grade or quality, personally selected by purchaser.

Our many customers know that in the past The Cole Nursery Co. has sent out stock known to be in the best condition.

After the severe winter which we have just experienced it will behoove all buyers of nursery stock to deal only with firms of such known integrity.

— INDEX —

- | | | | | | |
|------------------|------------|---------------------|--------|--------------------|--------|
| Abelia | 20 | Caragana | 22 | Fontanesia | 21 |
| Abies | 41 | Carnation, Hardy | 62 | Forget-me-not | 67 |
| Acanthopanax | 20 | Catalpa | 13 | Forsythia | 27 |
| Acer | 10-12 | Ceanothus | 22 | Foxglove | 63 |
| Achillea | 59 | Cedar | 43 | Fraxinus | 13 |
| Aconitum | 59 | Celastrus | 54 | Fringetree | 22 |
| Actinidia | 53 | Centaurea | 60 | Fruits | 1-10 |
| Adams Needle | 71 | Centranthus | 60 | Funkia—See Hosta, | |
| Aetheonema | 59 | Centranthus | 22 | Page | 64 |
| Aesculus | 12 | Cephalanthus | 22 | Gaillardia | 63 |
| Ailanthus | 12 | Cerastium | 60 | Garland Flower | 51 |
| Ajuga | 59 | Ceratostigma | 61 | Gasplant | 63 |
| Akebia | 53 | Cercidiphyllum | 13 | Gay Feather | 66 |
| Almond, Fl'ng | 33 | Cercis | 22 | Geranium | 63 |
| Althaea | 28, 59 | Chaste-tree | 40 | Geum | 63 |
| Alyssum | 59 | Chelone | 61 | Ginkgo | 13 |
| Amelanchier | 20 | Cherry | 5, 6 | Gladiolus | 71, 72 |
| Amorpha | 20 | Cherry, Fl'g | 16, 17 | Gleditsia | 13 |
| Amphelopsis | 53 | Chionanthus | 22 | Globularia | 63 |
| Amygdalus | 12 | Chokeberry | 20 | Goldenchain | 28 |
| Anchusa | 59 | Christmasberry | 30 | Golden Glow | 69 |
| Andromeda | 30, 53 | Chrysanthemum | | Goldenrain Tree | 13 |
| Anemone | 59 | | 61, 62 | Gold Flower | 28 |
| Anthemis | 59 | Cinquefoil | 32 | Gooseberry | 6, 7 |
| Apple, Crab | 2 | Cladrastis | 13 | Grape | 8 |
| Apple | 1, 2 | Clematis | 54 | Grass, Ornamental | |
| Apricot | 2 | Clethra | 22 | 66 | |
| Aquilegia | 59 | Columbine | 59 | Gymnocladus | 13 |
| Arabis | 59 | Comptonia | 22 | Gypsophila | 63 |
| Aralia | 12, 20 | Coneflower | 63 | Halesia | 27 |
| Arenaria | 59 | Convallaria | 62 | Hamamelis | 27 |
| Arborvitae | 49-51 | Coralberry | 37 | Hardhack | 36 |
| Arctostaphylos | 51 | Coreopsis | 62 | Hawthorn | 24, 25 |
| Aristolochia | 53 | Corktree | 16 | Hazelnut | 23 |
| Armeria | 60 | Cornus | 22, 23 | Hedera | 54 |
| Aronia | 20 | Corylus | 23, 24 | Helenium | 64 |
| Arrowwood | 39 | Cotoneaster | 24 | Helianthemum | 64 |
| Artemisia | 60 | Crab, Flowering | | Helianthus | 64 |
| Asclepias | 60 | | 14, 15 | Heliopsis | 64 |
| Ash | 13 | Cranberry-bush | | Hemerocallis | 64 |
| Asparagus | 10 | | 38, 39 | Hemlock | 51 |
| Asperula | 60 | Crataegus | 24, 25 | Heuchera | 64 |
| Aster | 60 | Crucianella | 62 | Hibiscus | 28, 64 |
| Astilbe | 60 | Currant | 7, 34 | Hippophae | 27 |
| Aubrieta | 60 | Cydonia | 25 | Holly | 52 |
| Azalea | 20 | Cypress | 47, 48 | Hollygrape, Oregon | |
| Babysbreath | 63 | Dahlias | 72 | 53 | |
| Baldcypress | 18 | Daisy, Shasta | 62 | Hollyhock | 59 |
| Balloonflower | 69 | Daphne | 51 | Honeylocust | 13 |
| Baptisia | 60 | Delphinium | 62 | Honeysuckle | 30, 54 |
| Barberry | 21 | Desmodium | 29 | Hoptree | 17 |
| Bayberry | 30 | Deutzia | 25 | Horsechestnut | 12 |
| Bearberry | 51 | Devils-walkingstick | | Hosta | 64 |
| Beautyberry, Ch. | 21 | | 12 | Hydrangea | 27 |
| Beauty Bush | 28 | Dianthus | 62 | Hydrangea Vine | 54 |
| Beech | 13 | Dieentra | 63 | Hypericum | 28, 64 |
| Benzoin | 21 | Dietamnus | 63 | Iberis | 65 |
| Berberis | 21 | Diervilla | 26 | Ilex | 28, 52 |
| Betula | 12 | Digitalis | 63 | Incarvillea | 65 |
| Bignonia | 54 | Diospyros | 13 | Indigobush | 20 |
| Birch | 12 | Dogwood | 22, 23 | Inula | 65 |
| Bittersweet | 54 | Doronicum | 63 | Inkberry | 52 |
| Blackberry | 10 | Dropwort | 63 | Iris | 64, 65 |
| Bladdernut | 36 | Dutchman's-pipe | 53 | Ivy | 54 |
| Blanketflower | 63 | Echinacea | 63 | Jersey Tea | 22 |
| Bleedingheart | 63 | Echinops | 63 | Jetbead | 33 |
| Blueberry | 38 | Edelweiss | 66 | Judas Tree | 22 |
| Bocconia | 60 | Elaeagnus | 26 | Juniper | 41-44 |
| Boltonia | 60 | Elder | 34 | Juniperus | 41-44 |
| Boston Ivy | 53 | Elm | 19 | Kalmia | 52 |
| Box | 51 | Erigeron | 63 | Kashmir False- | |
| Bridalwreath | 36 | Eryngium | 63 | spiraea | 35 |
| Buckthorn | 33 | Eulalia—See Mis- | | Katsura Tree | 13 |
| Buddleia | 21 | canthus, page | 66 | Kentucky Coffee | |
| Bugle | 59 | Euonymus | 26, 52 | Tree | 13 |
| Bulbs | 66, 71, 72 | Eupatorium | 63 | Kerria | 28 |
| Burningbush | 26 | Euphorbia | 63 | Kniphofia | 66 |
| Bushelover | 29 | Evergreens | 41, 51 | Koelreutaria | 13 |
| Buttercup, Cr,g | 69 | Exochorda | 26 | Kolkwitzia | 28 |
| Butterflybush | 21 | Fagus | 13 | Lambkill | 52 |
| Butterflyweed | 60 | False-indigo | 60 | Laburnum | 28 |
| Buttonbush | 22 | False-spiraea | 35 | Lantern Plant, | |
| Buxus | 51 | Festuca | 63 | Chinese | 67 |
| Calamintha | 60 | Filapendula | 63 | Larch | 13 |
| Callicarpa | 21 | Filbert | 23, 24 | Larix | 13 |
| Calycanthus | 21 | Fir | 41, 46 | Larkspur | 62 |
| Campanula | 60 | Firethorn | 33 | Lathyrus | 66 |
| Canterbury Bell | 60 | Flax | 66 | Lavandula | 66 |

INDEX—Continued

- Lavender, Sea ----66
Lavender, Sweet ----66
Leontopodium ----66
Lespedeza ----29
Leucothoe ----52
Liatris ----66
Ligustrum ----29
Lilac ----37, 38
Lilac, Summer --21
Lilium ----66
Lily ----66
Lily, Lemon—See Hemerocallis. _64
Lily, Plantain ----64
Lily-of-the-valley _62
Limonium ----66
Linden ----18, 19
Lindera ----21
Linum ----66
Liquidambar ----13
Liriodendron ----14
Locust ----13, 17
Lobelia ----66
Lonicera ----30, 54
Lychnis ----66
Lycium ----54
Magnolia ----14
Mahonia ----53
Maidenhair-tree _13
Mallow Marvel --64
Maltese Cross --66
Malus ----14, 15
Maple ----10-12
Matricaria ----66
Matrimony-vine _54
Meadowsweet --63
Miscanthus ----66
Mitchella ----66
Mockorange --31, 32
Monarda ----67
Monkshood ----59
Morus ----15
Mountain-ash --18
Mountain-laurel _52
Mulberry ----6, 15
Myosotis ----67
Myrica ----30
Myrtle ----54
Nepeta ----67
Ninebark ----32
Nut Trees ----6
Nyssa ----16
Oak ----17
Ornamental Trees ----10-19
Oxydendron ----30
Oenothera ----67
Pachysandra ----53
Pansy, Summer --71
Papaver ----67
Pardanthus ----67
Pea, Hardy ----66
Pasqueflower --59
Pea-tree ----22
Peach ----3
Peach, Flowering--12
Pear ----4
Pearlbush ----26
Pentstemon ----67
Peony ----67, 68
Perennials, Hardy ----59-71
Periwinkle ----54
Persimmon ----13
Phellodendrum --16
Philadelphus_31, 32
Phlox ----68, 69
Photinia ----30
Physalis ----67
Physocarpus ----32
Physostegia ----69
Picea ----44, 45
Pieris -----53
Pine ----45, 46
Pinkbells ----64
Pinks, Hardy --62
Pinus ----45, 46
Pinxterbloom --20
Planetree ----16
Platanus ----16
Platycodon ----69
Plum ----4, 5
Plum, Flowering ----16, 32, 33
Plumbago—See Ceratostigma, Page 61
Polemonium ----69
Polygonum ----54
Poplar ----16
Poppy ----67
Populus ----16
Potentilla ----32
Pirmrose, Evening ----67
Primula ----69
Privet ----29
Prunella ----69
Prunus --16, 17, 32
Pseudotsuga ----46
Ptelea ----17
Pyracantha ----33
Pyrethrum ----62
Pyrus ----20
Quercus ----17
Quince ----2
Quince, Flowering ----25
Ranunculus ----69
Raspberry ----9
Raspberry, Flowering ----34
Redbud ----22
Red Hot Poker_66
Retinospora --47, 48
Rhamnus ----33
Rhododendron --53
Rhodotypos ----33
Rhubarb ----10
Rhus ----33, 34
Ribes ----34
Robinia ----17, 34
Rockeress ----59
Roseacacia ----34
Rose-of-Sharon --28
Roses ----55-58
Rubus ----34
Rudbeckia ----69
Russian-olive --26
Saint Johnswort --28
Salisburia (see Gingko) ----13
Salix ----17, 18
Salvia ----69
Sambucus ----34
Saxifraga ----69
Seabiosa ----70
Schizophagma --54
Sedum ----70
Sempervivum --70
Service-berry --20
Sheepberry ----39
Shrubs, Deciduous ----20-41
Shrubs, Evergreen ----51-53
Sidalcea ----70
Silene ----70
Smoke-tree ----34
Snowbell ----36
Snowberry ----36
Snowball ----39
Sorbaria ----35
Sorbus ----18
Sorrel Tree ----30
Speedwell ----71
Sourwood ----30
Spicebush ----21
Spiraeas _35, 36, 70
Spruce ----44, 45
Spurge ----53, 63
Staphylea ----36
Stephanandra --36
Stokesia ----70
Stonecress ----59
Strawberry ----9
Strawberry Shrub ----21
Styrax ----36
Sumac ----33, 34
Sunflower ----64
Sunrose Fickle --64
Sweetbay ----14
Sweetfern ----22
Sweetgum ----13
Sweetleaf, Asiatic ----37
Sweet Pepper Bush ----22
Sweetshrub ----21
Sweet William --62
Sycamore ----16
Symphoricarpos ----36, 37
Symplocos ----37
Syringa --
---31, 32, 37, 38
Tamarix ----38
Taxodium ----18
Taxus ----48
Thalictrum ----70
Thuja ----49, 51
Thymus ----70
Tilia ----18, 19
Tradescantia --70
Tree of Heaven _12
Trillium ----70
Tritoma ----66
Trollius ----70
Trumpet Creeper ----54
Tsuga ----51
Tulip-tree ----14
Tunica ----70
Tupelo ----16
Ulmus ----19
Vaccinium ----38
Valeriana ----70
Veronica ----71
Viburnum --38, 40
Vinea ----54
Vines ----53, 54
Viola ----71
Violet ----71
Virginia Creeper _53
Vitis ----54
Vitex ----40
Wayfaring-tree --39
Weigela --40, 41
Willow ----17, 18
Windflower ----59
Winterberry ----28
Wintercreeper --52
Wisteria ----54
Witch-hazel --27
Withe-rod ----39
Wolfberry ----36
Yarrow ----59
Yellowroot ----41
Yellowwood ----13
Yew ----48
Yucca ----71
Zanthoriza ----41

WE RECOMMEND FOR YOUR GARDEN

GERMAN PEAT (Humus)

Extremely beneficial for retaining moisture in dry soils and for loosening heavy soils that tend to bake; promotes healthy, rapid, fibrous root action in nearly all flowers, plants and trees. Especially necessary for Rhododendrons and Azaleas. Medium acid. Bale (the largest obtainable), about 22 bushels when broken up, weight about 180 lbs., **\$3.90.** Large sacks for **75c** each.

VIGORO, the Complete Plant Food

A fine, balanced fertilizer; clean, odorless and easy to apply. Directions for use with every package. 100-lb. bag for **\$4.00**; 50-lb. bag for **\$2.50**; 25-lb. bag for **\$1.50**.

*“Everything That is Good
and Hardy”*

